

# 鋸片系列

Slitting Saws Series


泛用鋼材  $\leq 50\text{HRC}$

不銹鋼





鋁合金 / 銅合金

鑄鐵

For general steel ( $\leq 50\text{HRC}$ ), stainless steel, cast iron and aluminum/copper alloy machining.



## 產品選擇表 Product Selection Table

刀型 Type	齒數 Teeth	內徑 Inner Diameter	產品類別 Product Classification	形狀 Appearance	尺寸 Size	頁數 Page
<b>鋸片柄 Slitting Saw Arbors</b>						
鋸片柄 Slitting Saw Arbors	—	5 / 6 / 8 / 12.7	右螺紋 Right Hand Thread.  材質為合金鋼 It is made by Alloy Steel.		Ø10 ~ Ø20	200
<b>鎢鋼鋸片 &amp; 圓刀 Carbide Slitting Saws &amp; Circular Knives</b>						
鎢鋼鋸片 Carbide Slitting Saws	16/28	3.0	尖齒型 CCN Type 平齒型 CCF Type		Ø10	201
	28/40	5.0			Ø15	202
	36/56	5.0			Ø20	203
	36/56	6.0			Ø20	204
	40/72	6.0			Ø25	205
	56/90/120	6.0			Ø30	206
	56/90/120	8.0			Ø30	207
	56/90/120	12.7			Ø45	208
	72	12.7			Ø50	209
	56	25.4			Ø70	210
	72	25.4			Ø70	210
	100	25.4			Ø70	211
	120	25.4			Ø70	211
	56/72	25.4			Ø75	212
	56/72	25.4			Ø100	212
	72/100	25.4			Ø125	213
100	25.4	Ø150	213			
鎢鋼圓刀 Carbide Circular Knives		25.4	CB		Ø50 ~ Ø125	214
<b>高速鋼鋸片 &amp; 圓刀 HSS Slitting Saws &amp; Circular Knives</b>						
高速鋼鋸片 HSS Slitting Saws	90/120	6.0	尖齒型 HCN Type		Ø30	215
			平齒型 HCF Type			
	90	12.7	尖齒型 HCN Type		Ø45	215
			平齒型 HCF Type			
	56	25.4	尖齒型 HCN Type		Ø70	216
			平齒型 HCF Type			
	72	25.4	尖齒型 HCN Type		Ø70	216
			平齒型 HCF Type			
100	25.4	尖齒型 HCN Type	Ø70	217		
		平齒型 HCF Type				



## 產品選擇表 Product Selection Table


刀型 Type	齒數 Teeth	內徑 Inner Diameter	產品類別 Product Classification	形狀 Appearance	尺寸 Size	頁數 Page
高速鋼鋸片 & 圓刀 HSS Slitting Saws & Circular Knives						
高速鋼鋸片 HSS Slitting Saws	56/72	25.4	尖齒型HCN Type		Ø75	217
			平齒型HCF Type			
	56/72	25.4	尖齒型HCN Type		Ø100	218
			平齒型HCF Type			
	72/100	25.4	尖齒型HCN Type		Ø125	218
			平齒型HCF Type			
	100	25.4	尖齒型HCN Type		Ø150	218
			平齒型HCF Type			
高速鋼圓刀 HSS Circular Knives		25.4	HB		Ø50 ~ Ø250	219
高鈷鋼鋸片 HSS-Co Slitting Saws						
高鈷鋼鋸片 HSS-Co Slitting Saws	90/120	6.0	尖齒型KCN Type		Ø30	220
			平齒型KCF Type			
	90	12.7	尖齒型KCN Type		Ø45	220
			平齒型KCF Type			
	56	25.4	尖齒型KCN Type		Ø70	221
			平齒型KCF Type			
	72	25.4	尖齒型KCN Type		Ø70	221
			平齒型KCF Type			
	100	25.4	尖齒型KCN Type		Ø75	222
			平齒型KCF Type			
	56/72	25.4	尖齒型KCN Type		Ø75	222
			平齒型KCF Type			
	56/72	25.4	尖齒型KCN Type		Ø100	223
			平齒型KCF Type			
	72/100	25.4	尖齒型KCN Type		Ø125	223
			平齒型KCF Type			
100	25.4	尖齒型KCN Type	Ø150	223		
		平齒型KCF Type				

碳素鋼 Carbon Steels (<20HRC)	合金鋼 Alloy Steels (20~30HRC)	合金鋼 Alloy Steels (30~45HRC)	調質鋼 Hardened Steels (45~55HRC)	調質鋼 Hardened Steels (55~65HRC)	不銹鋼 Stainless Steels	鑄鐵 Cast Iron	鋁合金 Aluminum Alloys	銅 Copper	非金屬 Non-metal	高溫合金 High-Temp Alloys	冷卻方式推薦 Suitable Coolant	加工型態 Type of Finishing			
												A	B	C	D
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
○	○	—	—	—	○	—	○	○	—	—	濕式(Wet)				
—	—	—	—	—	—	—	○	○	—	—	乾式(Dry)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				
○	○	○	—	—	○	○	○	○	—	—	濕式(Wet)				

# 鋸片柄- 右螺紋

## SLITTING SAW ARBORS- Right Hand Thread

· SAFR00000




※ 材質是合金鋼  
It is made by alloy steels.

軸徑(鋸片內徑) d	螺帽 / 墊片 外徑 d1	軸徑長 L1	墊片 安裝長 L2	全長 L	螺帽 厚度 L3	墊片 厚度 L4	柄徑 D	訂購編號 Order No.
5.0	10	12	5.2	50	5.0	3.0	6	SAFR05006
5.0	13	16	7.5	60	8.8	4.0	7	SAFR05007
6.0	13	16	7.5	60	8.8	4.0	7	SAFR06007
6.0	10	12	5.2	50	5.1	3.2	6	SAFR06006
6.0	16	11	5.2	60	5.5	1.5 / 3.0	10	SAFR06010
6.0	13	16	7.5	90	8.2	4.2	10	SAFR06010090L
8.0	13	16	7.5	60	7.5	4.2	10	SAFR08010
12.7	20	28	14.0	70	14.5	6.2	10	SAFR12710

# 鎢鋼小徑鋸片- 粗齒數(16/28T)

## SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(16/28T)



※CCH : 鈎齒型鋸片→依需求生產  
 ※CCH Type is on request.

**62**

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
10	0.15	3	16	CCN-01000-0015-016-0300	CCF-01000-0015-016-0300
10	0.20	3	16	CCN-01000-0020-016-0300	CCF-01000-0020-016-0300
10	0.25	3	16	CCN-01000-0025-016-0300	CCF-01000-0025-016-0300
10	0.30	3	16	CCN-01000-0030-016-0300	CCF-01000-0030-016-0300
10	0.40	3	16	CCN-01000-0040-016-0300	CCF-01000-0040-016-0300
10	0.50	3	16	CCN-01000-0050-016-0300	CCF-01000-0050-016-0300
10	0.60	3	16	CCN-01000-0060-016-0300	CCF-01000-0060-016-0300
10	0.70	3	16	CCN-01000-0070-016-0300	CCF-01000-0070-016-0300
10	0.80	3	16	CCN-01000-0080-016-0300	CCF-01000-0080-016-0300
10	0.90	3	16	CCN-01000-0090-016-0300	CCF-01000-0090-016-0300
10	1.00	3	16	CCN-01000-0100-016-0300	CCF-01000-0100-016-0300
外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
10	0.15	3	28	CCN-01000-0015-028-0300	CCF-01000-0015-028-0300
10	0.20	3	28	CCN-01000-0020-028-0300	CCF-01000-0020-028-0300
10	0.25	3	28	CCN-01000-0025-028-0300	CCF-01000-0025-028-0300
10	0.30	3	28	CCN-01000-0030-028-0300	CCF-01000-0030-028-0300
10	0.40	3	28	CCN-01000-0040-028-0300	CCF-01000-0040-028-0300
10	0.50	3	28	CCN-01000-0050-028-0300	CCF-01000-0050-028-0300
10	0.60	3	28	CCN-01000-0060-028-0300	CCF-01000-0060-028-0300
10	0.70	3	28	CCN-01000-0070-028-0300	CCF-01000-0070-028-0300
10	0.80	3	28	CCN-01000-0080-028-0300	CCF-01000-0080-028-0300
10	0.90	3	28	CCN-01000-0090-028-0300	CCF-01000-0090-028-0300
10	1.00	3	28	CCN-01000-0100-028-0300	CCF-01000-0100-028-0300

SLITTING  
 Carbide Slitting Saws

鎢鋼鋸片系列






# 鎢鋼小徑鋸片- 粗齒數(36T)/中齒數(56T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(36T)/Middle Teeth(56T)



※CCH：鉤齒型鋸片→依需求生產  
 ※CCH Type is on request.



62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	5	36	CCN-02000-0015-036-0500	CCF-02000-0015-036-0500
20	0.20	5	36	CCN-02000-0020-036-0500	CCF-02000-0020-036-0500
20	0.25	5	36	CCN-02000-0025-036-0500	CCF-02000-0025-036-0500
20	0.30	5	36	CCN-02000-0030-036-0500	CCF-02000-0030-036-0500
20	0.40	5	36	CCN-02000-0040-036-0500	CCF-02000-0040-036-0500
20	0.50	5	36	CCN-02000-0050-036-0500	CCF-02000-0050-036-0500
20	0.60	5	36	CCN-02000-0060-036-0500	CCF-02000-0060-036-0500
20	0.70	5	36	CCN-02000-0070-036-0500	CCF-02000-0070-036-0500
20	0.80	5	36	CCN-02000-0080-036-0500	CCF-02000-0080-036-0500
20	0.90	5	36	CCN-02000-0090-036-0500	CCF-02000-0090-036-0500
20	1.00	5	36	CCN-02000-0100-036-0500	CCF-02000-0100-036-0500
20	1.20	5	36	CCN-02000-0120-036-0500	CCF-02000-0120-036-0500
20	1.50	5	36	CCN-02000-0150-036-0500	CCF-02000-0150-036-0500


外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	5	56	CCN-02000-0015-056-0500	CCF-02000-0015-056-0500
20	0.20	5	56	CCN-02000-0020-056-0500	CCF-02000-0020-056-0500
20	0.25	5	56	CCN-02000-0025-056-0500	CCF-02000-0025-056-0500
20	0.30	5	56	CCN-02000-0030-056-0500	CCF-02000-0030-056-0500
20	0.40	5	56	CCN-02000-0040-056-0500	CCF-02000-0040-056-0500
20	0.50	5	56	CCN-02000-0050-056-0500	CCF-02000-0050-056-0500
20	0.60	5	56	CCN-02000-0060-056-0500	CCF-02000-0060-056-0500
20	0.70	5	56	CCN-02000-0070-056-0500	CCF-02000-0070-056-0500
20	0.80	5	56	CCN-02000-0080-056-0500	CCF-02000-0080-056-0500
20	0.90	5	56	CCN-02000-0090-056-0500	CCF-02000-0090-056-0500
20	1.00	5	56	CCN-02000-0100-056-0500	CCF-02000-0100-056-0500
20	1.20	5	56	CCN-02000-0120-056-0500	CCF-02000-0120-056-0500
20	1.50	5	56	CCN-02000-0150-056-0500	CCF-02000-0150-056-0500

# 鎢鋼小徑鋸片- 粗齒數(36T)/中齒數(56T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(36T)/Middle Teeth(56T)



※CCH：鉤齒型鋸片→依需求生產  
※CCH Type is on request.



62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	6	36	CCN-02000-0015-036-0600	CCF-02000-0015-036-0600
20	0.20	6	36	CCN-02000-0020-036-0600	CCF-02000-0020-036-0600
20	0.25	6	36	CCN-02000-0025-036-0600	CCF-02000-0025-036-0600
20	0.30	6	36	CCN-02000-0030-036-0600	CCF-02000-0030-036-0600
20	0.40	6	36	CCN-02000-0040-036-0600	CCF-02000-0040-036-0600
20	0.50	6	36	CCN-02000-0050-036-0600	CCF-02000-0050-036-0600
20	0.60	6	36	CCN-02000-0060-036-0600	CCF-02000-0060-036-0600
20	0.70	6	36	CCN-02000-0070-036-0600	CCF-02000-0070-036-0600
20	0.80	6	36	CCN-02000-0080-036-0600	CCF-02000-0080-036-0600
20	0.90	6	36	CCN-02000-0090-036-0600	CCF-02000-0090-036-0600
20	1.00	6	36	CCN-02000-0100-036-0600	CCF-02000-0100-036-0600
20	1.20	6	36	CCN-02000-0120-036-0600	CCF-02000-0120-036-0600
20	1.50	6	36	CCN-02000-0150-036-0600	CCF-02000-0150-036-0600


外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	6	56	CCN-02000-0015-056-0600	CCF-02000-0015-056-0600
20	0.20	6	56	CCN-02000-0020-056-0600	CCF-02000-0020-056-0600
20	0.25	6	56	CCN-02000-0025-056-0600	CCF-02000-0025-056-0600
20	0.30	6	56	CCN-02000-0030-056-0600	CCF-02000-0030-056-0600
20	0.40	6	56	CCN-02000-0040-056-0600	CCF-02000-0040-056-0600
20	0.50	6	56	CCN-02000-0050-056-0600	CCF-02000-0050-056-0600
20	0.60	6	56	CCN-02000-0060-056-0600	CCF-02000-0060-056-0600
20	0.70	6	56	CCN-02000-0070-056-0600	CCF-02000-0070-056-0600
20	0.80	6	56	CCN-02000-0080-056-0600	CCF-02000-0080-056-0600
20	0.90	6	56	CCN-02000-0090-056-0600	CCF-02000-0090-056-0600
20	1.00	6	56	CCN-02000-0100-056-0600	CCF-02000-0100-056-0600
20	1.20	6	56	CCN-02000-0120-056-0600	CCF-02000-0120-056-0600
20	1.50	6	56	CCN-02000-0150-056-0600	CCF-02000-0150-056-0600

SLITTING Carbide Slitting Saws

鎢鋼鋸片系列

# 鎢鋼小徑鋸片- 中齒數(40/72T)

## SOLID CARBIDE SLITTING SAWS- Small Diameter- Middle Teeth(40/72T)



※CCH : 鉤齒型鋸片→依需求生產  
 ※CCH Type is on request.

**62**

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
25	0.15	6	40	CCN-02500-0015-040-0600	CCF-02500-0015-040-0600
25	0.20	6	40	CCN-02500-0020-040-0600	CCF-02500-0020-040-0600
25	0.25	6	40	CCN-02500-0025-040-0600	CCF-02500-0025-040-0600
25	0.30	6	40	CCN-02500-0030-040-0600	CCF-02500-0030-040-0600
25	0.40	6	40	CCN-02500-0040-040-0600	CCF-02500-0040-040-0600
25	0.50	6	40	CCN-02500-0050-040-0600	CCF-02500-0050-040-0600
25	0.60	6	40	CCN-02500-0060-040-0600	CCF-02500-0060-040-0600
25	0.70	6	40	CCN-02500-0070-040-0600	CCF-02500-0070-040-0600
25	0.80	6	40	CCN-02500-0080-040-0600	CCF-02500-0080-040-0600
25	0.90	6	40	CCN-02500-0090-040-0600	CCF-02500-0090-040-0600
25	1.00	6	40	CCN-02500-0100-040-0600	CCF-02500-0100-040-0600
25	1.20	6	40	CCN-02500-0120-040-0600	CCF-02500-0120-040-0600
25	1.50	6	40	CCN-02500-0150-040-0600	CCF-02500-0150-040-0600

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
25	0.15	6	72	CCN-02500-0015-072-0600	CCF-02500-0015-072-0600
25	0.20	6	72	CCN-02500-0020-072-0600	CCF-02500-0020-072-0600
25	0.25	6	72	CCN-02500-0025-072-0600	CCF-02500-0025-072-0600
25	0.30	6	72	CCN-02500-0030-072-0600	CCF-02500-0030-072-0600
25	0.40	6	72	CCN-02500-0040-072-0600	CCF-02500-0040-072-0600
25	0.50	6	72	CCN-02500-0050-072-0600	CCF-02500-0050-072-0600
25	0.60	6	72	CCN-02500-0060-072-0600	CCF-02500-0060-072-0600
25	0.70	6	72	CCN-02500-0070-072-0600	CCF-02500-0070-072-0600
25	0.80	6	72	CCN-02500-0080-072-0600	CCF-02500-0080-072-0600
25	0.90	6	72	CCN-02500-0090-072-0600	CCF-02500-0090-072-0600
25	1.00	6	72	CCN-02500-0100-072-0600	CCF-02500-0100-072-0600
25	1.20	6	72	CCN-02500-0120-072-0600	CCF-02500-0120-072-0600
25	1.50	6	72	CCN-02500-0150-072-0600	CCF-02500-0150-072-0600


SLITTING  
Carbide Slitting Saws  
鎢鋼鋸片系列

# 鎢鋼小徑鋸片- 中齒數(56T)/細齒數(90/120T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Middle Teeth(56T)/Fine Teeth(90/120T)



※CCH：鉤齒型鋸片→依需求生產  
※CCH Type is on request.



62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
30	0.20	6	56	CCN-03000-0020-056-0600	CCF-03000-0020-056-0600
30	0.25	6	56	CCN-03000-0025-056-0600	CCF-03000-0025-056-0600
30	0.30	6	56	CCN-03000-0030-056-0600	CCF-03000-0030-056-0600
30	0.40	6	56	CCN-03000-0040-056-0600	CCF-03000-0040-056-0600
30	0.50	6	56	CCN-03000-0050-056-0600	CCF-03000-0050-056-0600
30	0.60	6	56	CCN-03000-0060-056-0600	CCF-03000-0060-056-0600
30	0.70	6	56	CCN-03000-0070-056-0600	CCF-03000-0070-056-0600
30	0.80	6	56	CCN-03000-0080-056-0600	CCF-03000-0080-056-0600
30	0.90	6	56	CCN-03000-0090-056-0600	CCF-03000-0090-056-0600
30	1.00	6	56	CCN-03000-0100-056-0600	CCF-03000-0100-056-0600
30	1.10	6	56	CCN-03000-0110-056-0600	CCF-03000-0110-056-0600
30	1.20	6	56	CCN-03000-0120-056-0600	CCF-03000-0120-056-0600
30	1.50	6	56	CCN-03000-0150-056-0600	CCF-03000-0150-056-0600
30	2.00	6	56	CCN-03000-0200-056-0600	CCF-03000-0200-056-0600

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
30	0.20	6	120	CCN-03000-0020-120-0600	CCF-03000-0020-120-0600
30	0.25	6	120	CCN-03000-0025-120-0600	CCF-03000-0025-120-0600
30	0.30	6	120	CCN-03000-0030-120-0600	CCF-03000-0030-120-0600
30	0.40	6	120	CCN-03000-0040-120-0600	CCF-03000-0040-120-0600
30	0.50	6	120	CCN-03000-0050-120-0600	CCF-03000-0050-120-0600
30	0.60	6	120	CCN-03000-0060-120-0600	CCF-03000-0060-120-0600
30	0.70	6	120	CCN-03000-0070-120-0600	CCF-03000-0070-120-0600
30	0.80	6	120	CCN-03000-0080-120-0600	CCF-03000-0080-120-0600
30	0.90	6	120	CCN-03000-0090-120-0600	CCF-03000-0090-120-0600
30	1.00	6	120	CCN-03000-0100-120-0600	CCF-03000-0100-120-0600
30	1.10	6	90	CCN-03000-0110-090-0600	CCF-03000-0110-090-0600
30	1.20	6	90	CCN-03000-0120-090-0600	CCF-03000-0120-090-0600
30	1.50	6	90	CCN-03000-0150-090-0600	CCF-03000-0150-090-0600
30	2.00	6	90	CCN-03000-0200-090-0600	CCF-03000-0200-090-0600




# 鎢鋼小徑鋸片- 中齒數(56T)/細齒數(90/120T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Middle Teeth(56T)/Fine Teeth(90/120T)



※CCH：鉤齒型鋸片→依需求生產

※CCH Type is on request.



62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
45	0.50	12.7	56	CCN-04500-0050-056-1270	CCF-04500-0050-056-1270
45	0.60	12.7	56	CCN-04500-0060-056-1270	CCF-04500-0060-056-1270
45	0.70	12.7	56	CCN-04500-0070-056-1270	CCF-04500-0070-056-1270
45	0.80	12.7	56	CCN-04500-0080-056-1270	CCF-04500-0080-056-1270
45	0.90	12.7	56	CCN-04500-0090-056-1270	CCF-04500-0090-056-1270
45	1.00	12.7	56	CCN-04500-0100-056-1270	CCF-04500-0100-056-1270
45	1.10	12.7	56	CCN-04500-0110-056-1270	CCF-04500-0110-056-1270
45	1.50	12.7	56	CCN-04500-0150-056-1270	CCF-04500-0150-056-1270
45	2.00	12.7	56	CCN-04500-0200-056-1270	CCF-04500-0200-056-1270
45	2.50	12.7	56	CCN-04500-0250-056-1270	CCF-04500-0250-056-1270
45	3.00	12.7	56	CCN-04500-0300-056-1270	CCF-04500-0300-056-1270

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
45	0.20	12.7	90	CCN-04500-0020-090-1270	CCF-04500-0020-090-1270
45	0.25	12.7	90	CCN-04500-0025-090-1270	CCF-04500-0025-090-1270
45	0.30	12.7	90	CCN-04500-0030-090-1270	CCF-04500-0030-090-1270
45	0.40	12.7	90	CCN-04500-0040-090-1270	CCF-04500-0040-090-1270
45	0.50	12.7	90	CCN-04500-0050-090-1270	CCF-04500-0050-090-1270
45	0.60	12.7	90	CCN-04500-0060-090-1270	CCF-04500-0060-090-1270
45	0.70	12.7	90	CCN-04500-0070-090-1270	CCF-04500-0070-090-1270
45	0.80	12.7	90	CCN-04500-0080-090-1270	CCF-04500-0080-090-1270
45	0.90	12.7	90	CCN-04500-0090-090-1270	CCF-04500-0090-090-1270
45	1.00	12.7	90	CCN-04500-0100-090-1270	CCF-04500-0100-090-1270
45	1.10	12.7	90	CCN-04500-0110-090-1270	CCF-04500-0110-090-1270
45	1.50	12.7	90	CCN-04500-0150-090-1270	CCF-04500-0150-090-1270
45	2.00	12.7	90	CCN-04500-0200-090-1270	CCF-04500-0200-090-1270
45	2.50	12.7	90	CCN-04500-0250-090-1270	CCF-04500-0250-090-1270
45	3.00	12.7	90	CCN-04500-0300-090-1270	CCF-04500-0300-090-1270
45	0.20	12.7	120	CCN-04500-0020-120-1270	CCF-04500-0020-120-1270
45	0.25	12.7	120	CCN-04500-0025-120-1270	CCF-04500-0025-120-1270
45	0.30	12.7	120	CCN-04500-0030-120-1270	CCF-04500-0030-120-1270
45	0.40	12.7	120	CCN-04500-0040-120-1270	CCF-04500-0040-120-1270
45	0.50	12.7	120	CCN-04500-0050-120-1270	CCF-04500-0050-120-1270

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.

→ 搭配鋸片柄 [P.200](#)      → 切削條件表 [P.567](#)      → 技術資料 [P.639](#)  
 Slitting Saw Arbors      Cutting Condition      Technical Data

SLITTING Carbide Slitting Saws

鎢鋼鋸片系列






# 鎢鋼鋸片- 中齒數(56/72T)

## SOLID CARBIDE SLITTING SAWS- Middle Teeth(56/72T)



※CCH：鉤齒型鋸片→依需求生產

※CCH Type is on request.



62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
70#28	0.32	25.4	56	CCN-07000-0032-056-2540	CCF-07000-0032-056-2540
70#27	0.36	25.4	56	CCN-07000-0036-056-2540	CCF-07000-0036-056-2540
70#26	0.40	25.4	56	CCN-07000-0040-056-2540	CCF-07000-0040-056-2540
70#25	0.45	25.4	56	CCN-07000-0045-056-2540	CCF-07000-0045-056-2540
70#24	0.51	25.4	56	CCN-07000-0051-056-2540	CCF-07000-0051-056-2540
70#23	0.57	25.4	56	CCN-07000-0057-056-2540	CCF-07000-0057-056-2540
70#22	0.64	25.4	56	CCN-07000-0064-056-2540	CCF-07000-0064-056-2540
70#21	0.72	25.4	56	CCN-07000-0072-056-2540	CCF-07000-0072-056-2540
70#20	0.81	25.4	56	CCN-07000-0081-056-2540	CCF-07000-0081-056-2540
70#19	0.91	25.4	56	CCN-07000-0091-056-2540	CCF-07000-0091-056-2540
70#18	1.02	25.4	56	CCN-07000-0102-056-2540	CCF-07000-0102-056-2540
70#17	1.15	25.4	56	CCN-07000-0115-056-2540	CCF-07000-0115-056-2540
70#16	1.29	25.4	56	CCN-07000-0129-056-2540	CCF-07000-0129-056-2540
70#15	1.45	25.4	56	CCN-07000-0145-056-2540	CCF-07000-0145-056-2540
70#14	1.63	25.4	56	CCN-07000-0163-056-2540	CCF-07000-0163-056-2540
70#13	1.83	25.4	56	CCN-07000-0183-056-2540	CCF-07000-0183-056-2540
70#12	2.05	25.4	56	CCN-07000-0205-056-2540	CCF-07000-0205-056-2540
70#11	2.30	25.4	56	CCN-07000-0230-056-2540	CCF-07000-0230-056-2540
70#10	2.59	25.4	56	CCN-07000-0259-056-2540	CCF-07000-0259-056-2540
70#9	2.91	25.4	56	CCN-07000-0291-056-2540	CCF-07000-0291-056-2540
70#8	3.26	25.4	56	CCN-07000-0326-056-2540	CCF-07000-0326-056-2540
70#7	3.67	25.4	56	CCN-07000-0367-056-2540	CCF-07000-0367-056-2540
70#6	4.12	25.4	56	CCN-07000-0412-056-2540	CCF-07000-0412-056-2540
70#5	4.62	25.4	56	CCN-07000-0462-056-2540	CCF-07000-0462-056-2540
70#4	5.19	25.4	56	CCN-07000-0519-056-2540	CCF-07000-0519-056-2540
70#30	0.25	25.4	72	CCN-07000-0025-072-2540	CCF-07000-0025-072-2540
70#29	0.29	25.4	72	CCN-07000-0029-072-2540	CCF-07000-0029-072-2540
70#28	0.32	25.4	72	CCN-07000-0032-072-2540	CCF-07000-0032-072-2540
70#27	0.36	25.4	72	CCN-07000-0036-072-2540	CCF-07000-0036-072-2540
70#26	0.40	25.4	72	CCN-07000-0040-072-2540	CCF-07000-0040-072-2540
70#25	0.45	25.4	72	CCN-07000-0045-072-2540	CCF-07000-0045-072-2540
70#24	0.51	25.4	72	CCN-07000-0051-072-2540	CCF-07000-0051-072-2540
70#23	0.57	25.4	72	CCN-07000-0057-072-2540	CCF-07000-0057-072-2540
70#22	0.64	25.4	72	CCN-07000-0064-072-2540	CCF-07000-0064-072-2540
70#21	0.72	25.4	72	CCN-07000-0072-072-2540	CCF-07000-0072-072-2540
70#20	0.81	25.4	72	CCN-07000-0081-072-2540	CCF-07000-0081-072-2540
70#19	0.91	25.4	72	CCN-07000-0091-072-2540	CCF-07000-0091-072-2540
70#18	1.02	25.4	72	CCN-07000-0102-072-2540	CCF-07000-0102-072-2540
70#17	1.15	25.4	72	CCN-07000-0115-072-2540	CCF-07000-0115-072-2540
70#16	1.29	25.4	72	CCN-07000-0129-072-2540	CCF-07000-0129-072-2540
70#15	1.45	25.4	72	CCN-07000-0145-072-2540	CCF-07000-0145-072-2540
70#14	1.63	25.4	72	CCN-07000-0163-072-2540	CCF-07000-0163-072-2540
70#13	1.83	25.4	72	CCN-07000-0183-072-2540	CCF-07000-0183-072-2540
70#12	2.05	25.4	72	CCN-07000-0205-072-2540	CCF-07000-0205-072-2540
70#11	2.30	25.4	72	CCN-07000-0230-072-2540	CCF-07000-0230-072-2540
70#10	2.59	25.4	72	CCN-07000-0259-072-2540	CCF-07000-0259-072-2540
70#9	2.91	25.4	72	CCN-07000-0291-072-2540	CCF-07000-0291-072-2540
70#8	3.26	25.4	72	CCN-07000-0326-072-2540	CCF-07000-0326-072-2540

※ 說明: 70#28, 70 = 鋸片外徑; #28 = 鋸片厚度(日規番數)。

→ 切削條件表 P.567  
Cutting Condition

→ 技術資料 P.639  
Technical Data




# 鎢鋼鋸片- 細齒數(100/120T)

## SOLID CARBIDE SLITTING SAWS- Fine Teeth(100/120T)



※CCH：鉤齒型鋸片→依需求生產  
 ※CCH Type is on request.




62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
70#30	0.25	25.4	100	CCN-07000-0025-100-2540	CCF-07000-0025-100-2540
70#29	0.29	25.4	100	CCN-07000-0029-100-2540	CCF-07000-0029-100-2540
70#28	0.32	25.4	100	CCN-07000-0032-100-2540	CCF-07000-0032-100-2540
70#27	0.36	25.4	100	CCN-07000-0036-100-2540	CCF-07000-0036-100-2540
70#26	0.40	25.4	100	CCN-07000-0040-100-2540	CCF-07000-0040-100-2540
70#25	0.45	25.4	100	CCN-07000-0045-100-2540	CCF-07000-0045-100-2540
70#24	0.51	25.4	100	CCN-07000-0051-100-2540	CCF-07000-0051-100-2540
70#23	0.57	25.4	100	CCN-07000-0057-100-2540	CCF-07000-0057-100-2540
70#22	0.64	25.4	100	CCN-07000-0064-100-2540	CCF-07000-0064-100-2540
70#21	0.72	25.4	100	CCN-07000-0072-100-2540	CCF-07000-0072-100-2540
70#20	0.81	25.4	100	CCN-07000-0081-100-2540	CCF-07000-0081-100-2540
70#19	0.91	25.4	100	CCN-07000-0091-100-2540	CCF-07000-0091-100-2540
70#18	1.02	25.4	100	CCN-07000-0102-100-2540	CCF-07000-0102-100-2540
70#17	1.15	25.4	100	CCN-07000-0115-100-2540	CCF-07000-0115-100-2540
70#16	1.29	25.4	100	CCN-07000-0129-100-2540	CCF-07000-0129-100-2540
70#15	1.45	25.4	100	CCN-07000-0145-100-2540	CCF-07000-0145-100-2540
70#14	1.63	25.4	100	CCN-07000-0163-100-2540	CCF-07000-0163-100-2540
70#13	1.83	25.4	100	CCN-07000-0183-100-2540	CCF-07000-0183-100-2540
70#12	2.05	25.4	100	CCN-07000-0205-100-2540	CCF-07000-0205-100-2540
70#30	0.25	25.4	120	CCN-07000-0025-120-2540	CCF-07000-0025-120-2540
70#29	0.29	25.4	120	CCN-07000-0029-120-2540	CCF-07000-0029-120-2540
70#28	0.32	25.4	120	CCN-07000-0032-120-2540	CCF-07000-0032-120-2540
70#27	0.36	25.4	120	CCN-07000-0036-120-2540	CCF-07000-0036-120-2540
70#26	0.40	25.4	120	CCN-07000-0040-120-2540	CCF-07000-0040-120-2540
70#25	0.45	25.4	120	CCN-07000-0045-120-2540	CCF-07000-0045-120-2540
70#24	0.51	25.4	120	CCN-07000-0051-120-2540	CCF-07000-0051-120-2540
70#23	0.57	25.4	120	CCN-07000-0057-120-2540	CCF-07000-0057-120-2540
70#22	0.64	25.4	120	CCN-07000-0064-120-2540	CCF-07000-0064-120-2540
70#21	0.72	25.4	120	CCN-07000-0072-120-2540	CCF-07000-0072-120-2540
70#20	0.81	25.4	120	CCN-07000-0081-120-2540	CCF-07000-0081-120-2540
70#19	0.91	25.4	120	CCN-07000-0091-120-2540	CCF-07000-0091-120-2540
70#18	1.02	25.4	120	CCN-07000-0102-120-2540	CCF-07000-0102-120-2540
70#17	1.15	25.4	120	CCN-07000-0115-120-2540	CCF-07000-0115-120-2540
70#16	1.29	25.4	120	CCN-07000-0129-120-2540	CCF-07000-0129-120-2540
70#15	1.45	25.4	120	CCN-07000-0145-120-2540	CCF-07000-0145-120-2540
70#14	1.63	25.4	120	CCN-07000-0163-120-2540	CCF-07000-0163-120-2540
70#13	1.83	25.4	120	CCN-07000-0183-120-2540	CCF-07000-0183-120-2540
70#12	2.05	25.4	120	CCN-07000-0205-120-2540	CCF-07000-0205-120-2540

※ 說明: 70#28, 70 = 鋸片外徑; #28 = 鋸片厚度(日規番數)。

# 鎢鋼鋸片- 中齒數(56/72T)

## SOLID CARBIDE SLITTING SAWS- Middle Teeth(56/72T)



※CCH：鉤齒型鋸片→依需求生產  
※CCH Type is on request.




62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
75	0.3	25.4	72	CCN-07500-0030-072-2540	CCF-07500-0030-072-2540
75	0.4	25.4	72	CCN-07500-0040-072-2540	CCF-07500-0040-072-2540
75	0.5	25.4	72	CCN-07500-0050-072-2540	CCF-07500-0050-072-2540
75	0.6	25.4	72	CCN-07500-0060-072-2540	CCF-07500-0060-072-2540
75	0.7	25.4	72	CCN-07500-0070-072-2540	CCF-07500-0070-072-2540
75	0.8	25.4	72	CCN-07500-0080-072-2540	CCF-07500-0080-072-2540
75	0.9	25.4	72	CCN-07500-0090-072-2540	CCF-07500-0090-072-2540
75	1.0	25.4	72	CCN-07500-0100-072-2540	CCF-07500-0100-072-2540
75	1.1	25.4	56	CCN-07500-0110-056-2540	CCF-07500-0110-056-2540
75	1.2	25.4	56	CCN-07500-0120-056-2540	CCF-07500-0120-056-2540
75	1.3	25.4	56	CCN-07500-0130-056-2540	CCF-07500-0130-056-2540
75	1.4	25.4	56	CCN-07500-0140-056-2540	CCF-07500-0140-056-2540
75	1.5	25.4	56	CCN-07500-0150-056-2540	CCF-07500-0150-056-2540
75	1.6	25.4	56	CCN-07500-0160-056-2540	CCF-07500-0160-056-2540
75	1.7	25.4	56	CCN-07500-0170-056-2540	CCF-07500-0170-056-2540
75	1.8	25.4	56	CCN-07500-0180-056-2540	CCF-07500-0180-056-2540
75	1.9	25.4	56	CCN-07500-0190-056-2540	CCF-07500-0190-056-2540
75	2.0	25.4	56	CCN-07500-0200-056-2540	CCF-07500-0200-056-2540
75	2.5	25.4	56	CCN-07500-0250-056-2540	CCF-07500-0250-056-2540
75	3.0	25.4	56	CCN-07500-0300-056-2540	CCF-07500-0300-056-2540
100	0.5	25.4	72	CCN-10000-0050-072-2540	CCF-10000-0050-072-2540
100	0.6	25.4	72	CCN-10000-0060-072-2540	CCF-10000-0060-072-2540
100	0.7	25.4	72	CCN-10000-0070-072-2540	CCF-10000-0070-072-2540
100	0.8	25.4	72	CCN-10000-0080-072-2540	CCF-10000-0080-072-2540
100	0.9	25.4	72	CCN-10000-0090-072-2540	CCF-10000-0090-072-2540
100	1.0	25.4	72	CCN-10000-0100-072-2540	CCF-10000-0100-072-2540
100	1.1	25.4	56	CCN-10000-0110-056-2540	CCF-10000-0110-056-2540
100	1.2	25.4	56	CCN-10000-0120-056-2540	CCF-10000-0120-056-2540
100	1.3	25.4	56	CCN-10000-0130-056-2540	CCF-10000-0130-056-2540
100	1.4	25.4	56	CCN-10000-0140-056-2540	CCF-10000-0140-056-2540
100	1.5	25.4	56	CCN-10000-0150-056-2540	CCF-10000-0150-056-2540
100	1.6	25.4	56	CCN-10000-0160-056-2540	CCF-10000-0160-056-2540
100	1.7	25.4	56	CCN-10000-0170-056-2540	CCF-10000-0170-056-2540
100	1.8	25.4	56	CCN-10000-0180-056-2540	CCF-10000-0180-056-2540
100	1.9	25.4	56	CCN-10000-0190-056-2540	CCF-10000-0190-056-2540
100	2.0	25.4	56	CCN-10000-0200-056-2540	CCF-10000-0200-056-2540
100	2.5	25.4	56	CCN-10000-0250-056-2540	CCF-10000-0250-056-2540
100	3.0	25.4	56	CCN-10000-0300-056-2540	CCF-10000-0300-056-2540



# 鎢鋼圓刀

## SOLID CARBIDE CIRCULAR KNIVES



外徑 D	厚度 H	內徑 d	CB(單斜雙角)訂購編號 CB(Single Bevel With Top Bevel) Order No.	CB(雙斜單角)訂購編號 CB(Double Bevel) Order No.
50	0.5	25.4	CB2-05000-0050-2540	CB3-05000-0050-2540
50	1.0	25.4	CB2-05000-0100-2540	CB3-05000-0100-2540
50	1.5	25.4	CB2-05000-0150-2540	CB3-05000-0150-2540
50	2.0	25.4	CB2-05000-0200-2540	CB3-05000-0200-2540
60	0.5	25.4	CB2-06000-0050-2540	CB3-06000-0050-2540
60	1.0	25.4	CB2-06000-0100-2540	CB3-06000-0100-2540
60	1.5	25.4	CB2-06000-0150-2540	CB3-06000-0150-2540
60	2.0	25.4	CB2-06000-0200-2540	CB3-06000-0200-2540
75	0.5	25.4	CB2-07500-0050-2540	CB3-07500-0050-2540
75	1.0	25.4	CB2-07500-0100-2540	CB3-07500-0100-2540
75	1.5	25.4	CB2-07500-0150-2540	CB3-07500-0150-2540
75	2.0	25.4	CB2-07500-0200-2540	CB3-07500-0200-2540
90	1.0	25.4	CB2-09000-0100-2540	CB3-09000-0100-2540
90	1.5	25.4	CB2-09000-0150-2540	CB3-09000-0150-2540
90	2.0	25.4	CB2-09000-0200-2540	CB3-09000-0200-2540
100	1.0	25.4	CB2-10000-0100-2540	CB3-10000-0100-2540
100	1.5	25.4	CB2-10000-0150-2540	CB3-10000-0150-2540
100	2.0	25.4	CB2-10000-0200-2540	CB3-10000-0200-2540
125	1.5	25.4	CB2-12500-0150-2540	CB3-12500-0150-2540
125	2.0	25.4	CB2-12500-0200-2540	CB3-12500-0200-2540

SLITTING Carbide Slitting Saws


鎢鋼鋸片系列

# 高速鋼小徑鋸片- 細齒數(90/120T)

## HIGH SPEED STEEL SLITTING SAWS- Small Diameter- Fine Teeth(90/120T)



※HCH：鉤齒型鋸片→依需求生產！  
※HCH Type is dependent on demand.



63

外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
30	0.20	6	120	HCN-03000-0020-120-0600	HCF-03000-0020-120-0600
30	0.25	6	120	HCN-03000-0025-120-0600	HCF-03000-0025-120-0600
30	0.30	6	120	HCN-03000-0030-120-0600	HCF-03000-0030-120-0600
30	0.40	6	120	HCN-03000-0040-120-0600	HCF-03000-0040-120-0600
30	0.50	6	120	HCN-03000-0050-120-0600	HCF-03000-0050-120-0600
30	0.60	6	120	HCN-03000-0060-120-0600	HCF-03000-0060-120-0600
30	0.70	6	120	HCN-03000-0070-120-0600	HCF-03000-0070-120-0600
30	0.80	6	120	HCN-03000-0080-120-0600	HCF-03000-0080-120-0600
30	0.90	6	120	HCN-03000-0090-120-0600	HCF-03000-0090-120-0600
30	1.00	6	120	HCN-03000-0100-120-0600	HCF-03000-0100-120-0600
30	1.20	6	90	HCN-03000-0120-090-0600	HCF-03000-0120-090-0600
30	1.50	6	90	HCN-03000-0150-090-0600	HCF-03000-0150-090-0600
30	2.00	6	90	HCN-03000-0200-090-0600	HCF-03000-0200-090-0600
45	0.20	12.7	90	HCN-04500-0020-090-1270	HCF-04500-0020-090-1270
45	0.25	12.7	90	HCN-04500-0025-090-1270	HCF-04500-0025-090-1270
45	0.30	12.7	90	HCN-04500-0030-090-1270	HCF-04500-0030-090-1270
45	0.40	12.7	90	HCN-04500-0040-090-1270	HCF-04500-0040-090-1270
45	0.50	12.7	90	HCN-04500-0050-090-1270	HCF-04500-0050-090-1270
45	0.60	12.7	90	HCN-04500-0060-090-1270	HCF-04500-0060-090-1270
45	0.70	12.7	90	HCN-04500-0070-090-1270	HCF-04500-0070-090-1270
45	0.80	12.7	90	HCN-04500-0080-090-1270	HCF-04500-0080-090-1270
45	0.90	12.7	90	HCN-04500-0090-090-1270	HCF-04500-0090-090-1270
45	1.00	12.7	90	HCN-04500-0100-090-1270	HCF-04500-0100-090-1270
45	1.50	12.7	90	HCN-04500-0150-090-1270	HCF-04500-0150-090-1270
45	2.00	12.7	90	HCN-04500-0200-090-1270	HCF-04500-0200-090-1270
45	2.50	12.7	90	HCN-04500-0250-090-1270	HCF-04500-0250-090-1270
45	3.00	12.7	90	HCN-04500-0300-090-1270	HCF-04500-0300-090-1270

→ 搭配鋸片柄 [P.200](#)      → 切削條件表 [P.567](#)      → 技術資料 [P.639](#)  
 Slitting Saw Arbors      Cutting Condition      Technical Data

SLITTING Carbide Slitting Saws


鎢鋼鋸片系列

# 高速鋼鋸片- 中齒數(56T/72T)

## HIGH SPEED STEEL SLITTING SAWS- Middle Teeth(56/72T)



※HCH：鉤齒型鋸片→依需求生產！  
※HCH Type is dependent on demand.



63

外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#28	0.32	25.4	56	HCN-07000-0032-056-2540	HCF-07000-0032-056-2540
70#27	0.36	25.4	56	HCN-07000-0036-056-2540	HCF-07000-0036-056-2540
70#26	0.40	25.4	56	HCN-07000-0040-056-2540	HCF-07000-0040-056-2540
70#25	0.45	25.4	56	HCN-07000-0045-056-2540	HCF-07000-0045-056-2540
70#24	0.51	25.4	56	HCN-07000-0051-056-2540	HCF-07000-0051-056-2540
70#23	0.57	25.4	56	HCN-07000-0057-056-2540	HCF-07000-0057-056-2540
70#22	0.64	25.4	56	HCN-07000-0064-056-2540	HCF-07000-0064-056-2540
70#21	0.72	25.4	56	HCN-07000-0072-056-2540	HCF-07000-0072-056-2540
70#20	0.81	25.4	56	HCN-07000-0081-056-2540	HCF-07000-0081-056-2540
70#19	0.91	25.4	56	HCN-07000-0091-056-2540	HCF-07000-0091-056-2540
70#18	1.02	25.4	56	HCN-07000-0102-056-2540	HCF-07000-0102-056-2540
70#17	1.15	25.4	56	HCN-07000-0115-056-2540	HCF-07000-0115-056-2540
70#16	1.29	25.4	56	HCN-07000-0129-056-2540	HCF-07000-0129-056-2540
70#15	1.45	25.4	56	HCN-07000-0145-056-2540	HCF-07000-0145-056-2540
70#14	1.63	25.4	56	HCN-07000-0163-056-2540	HCF-07000-0163-056-2540
70#13	1.83	25.4	56	HCN-07000-0183-056-2540	HCF-07000-0183-056-2540
70#12	2.05	25.4	56	HCN-07000-0205-056-2540	HCF-07000-0205-056-2540
70#11	2.30	25.4	56	HCN-07000-0230-056-2540	HCF-07000-0230-056-2540
70#10	2.59	25.4	56	HCN-07000-0259-056-2540	HCF-07000-0259-056-2540
70#9	2.91	25.4	56	HCN-07000-0291-056-2540	HCF-07000-0291-056-2540
70#8	3.26	25.4	56	HCN-07000-0326-056-2540	HCF-07000-0326-056-2540
70#7	3.67	25.4	56	HCN-07000-0367-056-2540	HCF-07000-0367-056-2540
70#6	4.12	25.4	56	HCN-07000-0412-056-2540	HCF-07000-0412-056-2540
70#5	4.62	25.4	56	HCN-07000-0462-056-2540	HCF-07000-0462-056-2540
70#4	5.19	25.4	56	HCN-07000-0519-056-2540	HCF-07000-0519-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#30	0.25	25.4	72	HCN-07000-0025-072-2540	HCF-07000-0025-072-2540
70#29	0.29	25.4	72	HCN-07000-0029-072-2540	HCF-07000-0029-072-2540
70#28	0.32	25.4	72	HCN-07000-0032-072-2540	HCF-07000-0032-072-2540
70#27	0.36	25.4	72	HCN-07000-0036-072-2540	HCF-07000-0036-072-2540
70#26	0.40	25.4	72	HCN-07000-0040-072-2540	HCF-07000-0040-072-2540
70#25	0.45	25.4	72	HCN-07000-0045-072-2540	HCF-07000-0045-072-2540
70#24	0.51	25.4	72	HCN-07000-0051-072-2540	HCF-07000-0051-072-2540
70#23	0.57	25.4	72	HCN-07000-0057-072-2540	HCF-07000-0057-072-2540
70#22	0.64	25.4	72	HCN-07000-0064-072-2540	HCF-07000-0064-072-2540
70#21	0.72	25.4	72	HCN-07000-0072-072-2540	HCF-07000-0072-072-2540
70#20	0.81	25.4	72	HCN-07000-0081-072-2540	HCF-07000-0081-072-2540
70#19	0.91	25.4	72	HCN-07000-0091-072-2540	HCF-07000-0091-072-2540
70#18	1.02	25.4	72	HCN-07000-0102-072-2540	HCF-07000-0102-072-2540
70#17	1.15	25.4	72	HCN-07000-0115-072-2540	HCF-07000-0115-072-2540
70#16	1.29	25.4	72	HCN-07000-0129-072-2540	HCF-07000-0129-072-2540
70#15	1.45	25.4	72	HCN-07000-0145-072-2540	HCF-07000-0145-072-2540
70#14	1.63	25.4	72	HCN-07000-0163-072-2540	HCF-07000-0163-072-2540
70#13	1.83	25.4	72	HCN-07000-0183-072-2540	HCF-07000-0183-072-2540
70#12	2.05	25.4	72	HCN-07000-0205-072-2540	HCF-07000-0205-072-2540
70#11	2.30	25.4	72	HCN-07000-0230-072-2540	HCF-07000-0230-072-2540
70#10	2.59	25.4	72	HCN-07000-0259-072-2540	HCF-07000-0259-072-2540
70#9	2.91	25.4	72	HCN-07000-0291-072-2540	HCF-07000-0291-072-2540
70#8	3.26	25.4	72	HCN-07000-0326-072-2540	HCF-07000-0326-072-2540

※ 說明：70#28, 70 = 鋸片外徑；#28 = 鋸片厚度(日規番數)。


→ 切削條件表 Cutting Condition 技術資料 Technical Data

# 高速鋼鋸片- 中齒數(56/72T)細齒數(100T)

## HIGH SPEED STEEL SLITTINGSAW- Middle Teeth(56/72T)/Fine Teeth(100T)



※HCH：鉤齒型鋸片→依需求生產！  
※HCH Type is dependent on demand.



63

外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#30	0.25	25.4	100	HCN-07000-0025-100-2540	HCF-07000-0025-100-2540
70#29	0.29	25.4	100	HCN-07000-0029-100-2540	HCF-07000-0029-100-2540
70#28	0.32	25.4	100	HCN-07000-0032-100-2540	HCF-07000-0032-100-2540
70#27	0.36	25.4	100	HCN-07000-0036-100-2540	HCF-07000-0036-100-2540
70#26	0.40	25.4	100	HCN-07000-0040-100-2540	HCF-07000-0040-100-2540
70#25	0.45	25.4	100	HCN-07000-0045-100-2540	HCF-07000-0045-100-2540
70#24	0.51	25.4	100	HCN-07000-0051-100-2540	HCF-07000-0051-100-2540
70#23	0.57	25.4	100	HCN-07000-0057-100-2540	HCF-07000-0057-100-2540
70#22	0.64	25.4	100	HCN-07000-0064-100-2540	HCF-07000-0064-100-2540
70#21	0.72	25.4	100	HCN-07000-0072-100-2540	HCF-07000-0072-100-2540
70#20	0.81	25.4	100	HCN-07000-0081-100-2540	HCF-07000-0081-100-2540
70#19	0.91	25.4	100	HCN-07000-0091-100-2540	HCF-07000-0091-100-2540
70#18	1.02	25.4	100	HCN-07000-0102-100-2540	HCF-07000-0102-100-2540
70#17	1.15	25.4	100	HCN-07000-0115-100-2540	HCF-07000-0115-100-2540
70#16	1.29	25.4	100	HCN-07000-0129-100-2540	HCF-07000-0129-100-2540
70#15	1.45	25.4	100	HCN-07000-0145-100-2540	HCF-07000-0145-100-2540
70#14	1.63	25.4	100	HCN-07000-0163-100-2540	HCF-07000-0163-100-2540
70#13	1.83	25.4	100	HCN-07000-0183-100-2540	HCF-07000-0183-100-2540
70#12	2.05	25.4	100	HCN-07000-0205-100-2540	HCF-07000-0205-100-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
75	0.3	25.4	72	HCN-07500-0030-072-2540	HCF-07500-0030-072-2540
75	0.4	25.4	72	HCN-07500-0040-072-2540	HCF-07500-0040-072-2540
75	0.5	25.4	72	HCN-07500-0050-072-2540	HCF-07500-0050-072-2540
75	0.6	25.4	72	HCN-07500-0060-072-2540	HCF-07500-0060-072-2540
75	0.7	25.4	72	HCN-07500-0070-072-2540	HCF-07500-0070-072-2540
75	0.8	25.4	72	HCN-07500-0080-072-2540	HCF-07500-0080-072-2540
75	0.9	25.4	72	HCN-07500-0090-072-2540	HCF-07500-0090-072-2540
75	1.0	25.4	72	HCN-07500-0100-072-2540	HCF-07500-0100-072-2540
75	1.1	25.4	56	HCN-07500-0110-056-2540	HCF-07500-0110-056-2540
75	1.2	25.4	56	HCN-07500-0120-056-2540	HCF-07500-0120-056-2540
75	1.3	25.4	56	HCN-07500-0130-056-2540	HCF-07500-0130-056-2540
75	1.4	25.4	56	HCN-07500-0140-056-2540	HCF-07500-0140-056-2540
75	1.5	25.4	56	HCN-07500-0150-056-2540	HCF-07500-0150-056-2540
75	1.6	25.4	56	HCN-07500-0160-056-2540	HCF-07500-0160-056-2540
75	1.7	25.4	56	HCN-07500-0170-056-2540	HCF-07500-0170-056-2540
75	1.8	25.4	56	HCN-07500-0180-056-2540	HCF-07500-0180-056-2540
75	1.9	25.4	56	HCN-07500-0190-056-2540	HCF-07500-0190-056-2540
75	2.0	25.4	56	HCN-07500-0200-056-2540	HCF-07500-0200-056-2540
75	2.5	25.4	56	HCN-07500-0250-056-2540	HCF-07500-0250-056-2540
75	3.0	25.4	56	HCN-07500-0300-056-2540	HCF-07500-0300-056-2540

※ 說明：70#28, 70 = 鋸片外徑；#28 = 鋸片厚度(日規番數)。

→ 切削條件表 Cutting Condition 技術資料 Technical Data




# 高速鋼鋸片- 中齒數(56/72T)/細齒數(100T)

## HIGH SPEED STEEL SLITTING SAWS- Middle Teeth(56/72T)/Fine Teeth(100T)



※HCH：鈎齒型鋸片→依需求生產！  
 ※HCH Type is dependent on demand.




外徑 D	厚度 H	內徑 d	齒數 T	HCN訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
100	0.5	25.4	72	HCN-10000-0050-072-2540	HCF-10000-0050-072-2540
100	0.6	25.4	72	HCN-10000-0060-072-2540	HCF-10000-0060-072-2540
100	0.7	25.4	72	HCN-10000-0070-072-2540	HCF-10000-0070-072-2540
100	0.8	25.4	72	HCN-10000-0080-072-2540	HCF-10000-0080-072-2540
100	0.9	25.4	72	HCN-10000-0090-072-2540	HCF-10000-0090-072-2540
100	1.0	25.4	72	HCN-10000-0100-072-2540	HCF-10000-0100-072-2540
100	1.1	25.4	56	HCN-10000-0110-056-2540	HCF-10000-0110-056-2540
100	1.2	25.4	56	HCN-10000-0120-056-2540	HCF-10000-0120-056-2540
100	1.3	25.4	56	HCN-10000-0130-056-2540	HCF-10000-0130-056-2540
100	1.4	25.4	56	HCN-10000-0140-056-2540	HCF-10000-0140-056-2540
100	1.5	25.4	56	HCN-10000-0150-056-2540	HCF-10000-0150-056-2540
100	1.6	25.4	56	HCN-10000-0160-056-2540	HCF-10000-0160-056-2540
100	1.7	25.4	56	HCN-10000-0170-056-2540	HCF-10000-0170-056-2540
100	1.8	25.4	56	HCN-10000-0180-056-2540	HCF-10000-0180-056-2540
100	1.9	25.4	56	HCN-10000-0190-056-2540	HCF-10000-0190-056-2540
100	2.0	25.4	56	HCN-10000-0200-056-2540	HCF-10000-0200-056-2540
100	2.5	25.4	56	HCN-10000-0250-056-2540	HCF-10000-0250-056-2540
100	3.0	25.4	56	HCN-10000-0300-056-2540	HCF-10000-0300-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
125	0.8	25.4	100	HCN-12500-0080-100-2540	HCF-12500-0080-100-2540
125	1.0	25.4	100	HCN-12500-0100-100-2540	HCF-12500-0100-100-2540
125	1.2	25.4	72	HCN-12500-0120-072-2540	HCF-12500-0120-072-2540
125	1.5	25.4	72	HCN-12500-0150-072-2540	HCF-12500-0150-072-2540
125	2.0	25.4	72	HCN-12500-0200-072-2540	HCF-12500-0200-072-2540
125	2.5	25.4	72	HCN-12500-0250-072-2540	HCF-12500-0250-072-2540
125	3.0	25.4	72	HCN-12500-0300-072-2540	HCF-12500-0300-072-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
150	1.0	25.4	100	HCN-15000-0100-100-2540	HCF-15000-0100-100-2540
150	1.2	25.4	100	HCN-15000-0120-100-2540	HCF-15000-0120-100-2540
150	1.6	25.4	100	HCN-15000-0160-100-2540	HCF-15000-0160-100-2540
150	2.0	25.4	100	HCN-15000-0200-100-2540	HCF-15000-0200-100-2540
150	2.5	25.4	100	HCN-15000-0250-100-2540	HCF-15000-0250-100-2540
150	3.0	25.4	100	HCN-15000-0300-100-2540	HCF-15000-0300-100-2540
150	4.0	25.4	100	HCN-15000-0400-100-2540	HCF-15000-0400-100-2540
150	5.0	25.4	100	HCN-15000-0500-100-2540	HCF-15000-0500-100-2540



# 高速鋼圓刀

## HIGH SPEED STEEL CIRCULAR KNIVES



外徑 D	厚度 H	內徑 d	HB(單斜雙角)訂購編號 HB(Single Bevel With Top Bevel) Order No.	HB(雙斜單角)訂購編號 HB(Double Bevel) Order No.
50	0.5	25.4	HB2-05000-0050-2540	HB3-05000-0050-2540
50	1.0	25.4	HB2-05000-0100-2540	HB3-05000-0100-2540
50	1.5	25.4	HB2-05000-0150-2540	HB3-05000-0150-2540
50	2.0	25.4	HB2-05000-0200-2540	HB3-05000-0200-2540
60	0.5	25.4	HB2-06000-0050-2540	HB3-06000-0050-2540
60	1.0	25.4	HB2-06000-0100-2540	HB3-06000-0100-2540
60	1.5	25.4	HB2-06000-0150-2540	HB3-06000-0150-2540
60	2.0	25.4	HB2-06000-0200-2540	HB3-06000-0200-2540
75	0.5	25.4	HB2-07500-0050-2540	HB3-07500-0050-2540
75	1.0	25.4	HB2-07500-0100-2540	HB3-07500-0100-2540
75	1.5	25.4	HB2-07500-0150-2540	HB3-07500-0150-2540
75	2.0	25.4	HB2-07500-0200-2540	HB3-07500-0200-2540
90	1.0	25.4	HB2-09000-0100-2540	HB3-09000-0100-2540
90	1.5	25.4	HB2-09000-0150-2540	HB3-09000-0150-2540
90	2.0	25.4	HB2-09000-0200-2540	HB3-09000-0200-2540
100	1.0	25.4	HB2-10000-0100-2540	HB3-10000-0100-2540
100	1.5	25.4	HB2-10000-0150-2540	HB3-10000-0150-2540
100	2.0	25.4	HB2-10000-0200-2540	HB3-10000-0200-2540
125	1.5	25.4	HB2-12500-0150-2540	HB3-12500-0150-2540
125	2.0	25.4	HB2-12500-0200-2540	HB3-12500-0200-2540
150	2.0	25.4	HB2-15000-0200-2540	HB3-15000-0200-2540
150	2.5	25.4	HB2-15000-0250-2540	HB3-15000-0250-2540
200	2.0	25.4	HB2-20000-0200-2540	HB3-20000-0200-2540
200	2.5	25.4	HB2-20000-0250-2540	HB3-20000-0250-2540
200	3.0	25.4	HB2-20000-0300-2540	HB3-20000-0300-2540
250	2.0	25.4	HB2-25000-0200-2540	HB3-25000-0200-2540
250	3.0	25.4	HB2-25000-0300-2540	HB3-25000-0300-2540

SLITTING Carbide Slitting Saws


鎢鋼鋸片系列

# 高鈷鋼小徑鋸片- 細齒數(90/120T)

HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Small Diameter- Fine Teeth(90/120T)



※KCH：鉤齒型鋸片→依需求生產！  
※KCH Type is dependent on demand.



Cutting Table 63

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
30	0.20	6	120	KCN-03000-0020-120-0600	KCF-03000-0020-120-0600
30	0.25	6	120	KCN-03000-0025-120-0600	KCF-03000-0025-120-0600
30	0.30	6	120	KCN-03000-0030-120-0600	KCF-03000-0030-120-0600
30	0.40	6	120	KCN-03000-0040-120-0600	KCF-03000-0040-120-0600
30	0.50	6	120	KCN-03000-0050-120-0600	KCF-03000-0050-120-0600
30	0.60	6	120	KCN-03000-0060-120-0600	KCF-03000-0060-120-0600
30	0.70	6	120	KCN-03000-0070-120-0600	KCF-03000-0070-120-0600
30	0.80	6	120	KCN-03000-0080-120-0600	KCF-03000-0080-120-0600
30	0.90	6	120	KCN-03000-0090-120-0600	KCF-03000-0090-120-0600
30	1.00	6	120	KCN-03000-0100-120-0600	KCF-03000-0100-120-0600
30	1.20	6	90	KCN-03000-0120-090-0600	KCF-03000-0120-090-0600
30	1.50	6	90	KCN-03000-0150-090-0600	KCF-03000-0150-090-0600
30	2.00	6	90	KCN-03000-0200-090-0600	KCF-03000-0200-090-0600

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
45	0.20	12.7	90	KCN-04500-0020-090-1270	KCF-04500-0020-090-1270
45	0.25	12.7	90	KCN-04500-0025-090-1270	KCF-04500-0025-090-1270
45	0.30	12.7	90	KCN-04500-0030-090-1270	KCF-04500-0030-090-1270
45	0.40	12.7	90	KCN-04500-0040-090-1270	KCF-04500-0040-090-1270
45	0.50	12.7	90	KCN-04500-0050-090-1270	KCF-04500-0050-090-1270
45	0.60	12.7	90	KCN-04500-0060-090-1270	KCF-04500-0060-090-1270
45	0.70	12.7	90	KCN-04500-0070-090-1270	KCF-04500-0070-090-1270
45	0.80	12.7	90	KCN-04500-0080-090-1270	KCF-04500-0080-090-1270
45	0.90	12.7	90	KCN-04500-0090-090-1270	KCF-04500-0090-090-1270
45	1.00	12.7	90	KCN-04500-0100-090-1270	KCF-04500-0100-090-1270
45	1.50	12.7	90	KCN-04500-0150-090-1270	KCF-04500-0150-090-1270
45	2.00	12.7	90	KCN-04500-0200-090-1270	KCF-04500-0200-090-1270
45	2.50	12.7	90	KCN-04500-0250-090-1270	KCF-04500-0250-090-1270
45	3.00	12.7	90	KCN-04500-0300-090-1270	KCF-04500-0300-090-1270

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.

→ 搭配鋸片柄 P.200 Slitting Saw Arbors  
→ 切削條件表 P.567 Cutting Condition  
→ 技術資料 P.639 Technical Data

SLITTING Carbide Slitting Saws


鎢鋼鋸片系列

# 高鈷鋼鋸片- 中齒數(56/72T)

## HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Middle Teeth(56/72T)



※KCH：鈎齒型鋸片→依需求生產！  
※KCH Type is dependent on demand.



63

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
70#28	0.32	25.4	56	KCN-07000-0032-056-2540	KCF-07000-0032-056-2540
70#27	0.36	25.4	56	KCN-07000-0036-056-2540	KCF-07000-0036-056-2540
70#26	0.40	25.4	56	KCN-07000-0040-056-2540	KCF-07000-0040-056-2540
70#25	0.45	25.4	56	KCN-07000-0045-056-2540	KCF-07000-0045-056-2540
70#24	0.51	25.4	56	KCN-07000-0051-056-2540	KCF-07000-0051-056-2540
70#23	0.57	25.4	56	KCN-07000-0057-056-2540	KCF-07000-0057-056-2540
70#22	0.64	25.4	56	KCN-07000-0064-056-2540	KCF-07000-0064-056-2540
70#21	0.72	25.4	56	KCN-07000-0072-056-2540	KCF-07000-0072-056-2540
70#20	0.81	25.4	56	KCN-07000-0081-056-2540	KCF-07000-0081-056-2540
70#19	0.91	25.4	56	KCN-07000-0091-056-2540	KCF-07000-0091-056-2540
70#18	1.02	25.4	56	KCN-07000-0102-056-2540	KCF-07000-0102-056-2540
70#17	1.15	25.4	56	KCN-07000-0115-056-2540	KCF-07000-0115-056-2540
70#16	1.29	25.4	56	KCN-07000-0129-056-2540	KCF-07000-0129-056-2540
70#15	1.45	25.4	56	KCN-07000-0145-056-2540	KCF-07000-0145-056-2540
70#14	1.63	25.4	56	KCN-07000-0163-056-2540	KCF-07000-0163-056-2540
70#13	1.83	25.4	56	KCN-07000-0183-056-2540	KCF-07000-0183-056-2540
70#12	2.05	25.4	56	KCN-07000-0205-056-2540	KCF-07000-0205-056-2540
70#11	2.30	25.4	56	KCN-07000-0230-056-2540	KCF-07000-0230-056-2540
70#10	2.59	25.4	56	KCN-07000-0259-056-2540	KCF-07000-0259-056-2540
70#9	2.91	25.4	56	KCN-07000-0291-056-2540	KCF-07000-0291-056-2540
70#8	3.26	25.4	56	KCN-07000-0326-056-2540	KCF-07000-0326-056-2540
70#7	3.67	25.4	56	KCN-07000-0367-056-2540	KCF-07000-0367-056-2540
70#6	4.12	25.4	56	KCN-07000-0412-056-2540	KCF-07000-0412-056-2540
70#5	4.62	25.4	56	KCN-07000-0462-056-2540	KCF-07000-0462-056-2540
70#4	5.19	25.4	56	KCN-07000-0519-056-2540	KCF-07000-0519-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
70#30	0.25	25.4	72	KCN-07000-0025-072-2540	KCF-07000-0025-072-2540
70#29	0.29	25.4	72	KCN-07000-0029-072-2540	KCF-07000-0029-072-2540
70#28	0.32	25.4	72	KCN-07000-0032-072-2540	KCF-07000-0032-072-2540
70#27	0.36	25.4	72	KCN-07000-0036-072-2540	KCF-07000-0036-072-2540
70#26	0.40	25.4	72	KCN-07000-0040-072-2540	KCF-07000-0040-072-2540
70#25	0.45	25.4	72	KCN-07000-0045-072-2540	KCF-07000-0045-072-2540
70#24	0.51	25.4	72	KCN-07000-0051-072-2540	KCF-07000-0051-072-2540
70#23	0.57	25.4	72	KCN-07000-0057-072-2540	KCF-07000-0057-072-2540
70#22	0.64	25.4	72	KCN-07000-0064-072-2540	KCF-07000-0064-072-2540
70#21	0.72	25.4	72	KCN-07000-0072-072-2540	KCF-07000-0072-072-2540
70#20	0.81	25.4	72	KCN-07000-0081-072-2540	KCF-07000-0081-072-2540
70#19	0.91	25.4	72	KCN-07000-0091-072-2540	KCF-07000-0091-072-2540
70#18	1.02	25.4	72	KCN-07000-0102-072-2540	KCF-07000-0102-072-2540
70#17	1.15	25.4	72	KCN-07000-0115-072-2540	KCF-07000-0115-072-2540
70#16	1.29	25.4	72	KCN-07000-0129-072-2540	KCF-07000-0129-072-2540
70#15	1.45	25.4	72	KCN-07000-0145-072-2540	KCF-07000-0145-072-2540
70#14	1.63	25.4	72	KCN-07000-0163-072-2540	KCF-07000-0163-072-2540
70#13	1.83	25.4	72	KCN-07000-0183-072-2540	KCF-07000-0183-072-2540
70#12	2.05	25.4	72	KCN-07000-0205-072-2540	KCF-07000-0205-072-2540
70#11	2.30	25.4	72	KCN-07000-0230-072-2540	KCF-07000-0230-072-2540
70#10	2.59	25.4	72	KCN-07000-0259-072-2540	KCF-07000-0259-072-2540
70#9	2.91	25.4	72	KCN-07000-0291-072-2540	KCF-07000-0291-072-2540
70#8	3.26	25.4	72	KCN-07000-0326-072-2540	KCF-07000-0326-072-2540

※ 說明：70#28, 70 = 鋸片外徑；#28 = 鋸片厚度(日規番數)。


→ 切削條件表 P.567 → 技術資料 P.639  
Cutting Condition Technical Data

# 高鈷鋼鋸片- 中齒數(56/72T)細齒數(100T)

HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Middle Teeth(56/72T)/Fine Teeth(100T)



※KCH：鉤齒型鋸片→依需求生產！  
※KCH Type is dependent on demand.



Cutting Table 63

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
70#30	0.25	25.4	100	KCN-07000-0025-100-2540	KCF-07000-0025-100-2540
70#29	0.29	25.4	100	KCN-07000-0029-100-2540	KCF-07000-0029-100-2540
70#28	0.32	25.4	100	KCN-07000-0032-100-2540	KCF-07000-0032-100-2540
70#27	0.36	25.4	100	KCN-07000-0036-100-2540	KCF-07000-0036-100-2540
70#26	0.40	25.4	100	KCN-07000-0040-100-2540	KCF-07000-0040-100-2540
70#25	0.45	25.4	100	KCN-07000-0045-100-2540	KCF-07000-0045-100-2540
70#24	0.51	25.4	100	KCN-07000-0051-100-2540	KCF-07000-0051-100-2540
70#23	0.57	25.4	100	KCN-07000-0057-100-2540	KCF-07000-0057-100-2540
70#22	0.64	25.4	100	KCN-07000-0064-100-2540	KCF-07000-0064-100-2540
70#21	0.72	25.4	100	KCN-07000-0072-100-2540	KCF-07000-0072-100-2540
70#20	0.81	25.4	100	KCN-07000-0081-100-2540	KCF-07000-0081-100-2540
70#19	0.91	25.4	100	KCN-07000-0091-100-2540	KCF-07000-0091-100-2540
70#18	1.02	25.4	100	KCN-07000-0102-100-2540	KCF-07000-0102-100-2540
70#17	1.15	25.4	100	KCN-07000-0115-100-2540	KCF-07000-0115-100-2540
70#16	1.29	25.4	100	KCN-07000-0129-100-2540	KCF-07000-0129-100-2540
70#15	1.45	25.4	100	KCN-07000-0145-100-2540	KCF-07000-0145-100-2540
70#14	1.63	25.4	100	KCN-07000-0163-100-2540	KCF-07000-0163-100-2540
70#13	1.83	25.4	100	KCN-07000-0183-100-2540	KCF-07000-0183-100-2540
70#12	2.05	25.4	100	KCN-07000-0205-100-2540	KCF-07000-0205-100-2540
外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
75	0.3	25.4	72	KCN-07500-0030-072-2540	KCF-07500-0030-072-2540
75	0.4	25.4	72	KCN-07500-0040-072-2540	KCF-07500-0040-072-2540
75	0.5	25.4	72	KCN-07500-0050-072-2540	KCF-07500-0050-072-2540
75	0.6	25.4	72	KCN-07500-0060-072-2540	KCF-07500-0060-072-2540
75	0.7	25.4	72	KCN-07500-0070-072-2540	KCF-07500-0070-072-2540
75	0.8	25.4	72	KCN-07500-0080-072-2540	KCF-07500-0080-072-2540
75	0.9	25.4	72	KCN-07500-0090-072-2540	KCF-07500-0090-072-2540
75	1.0	25.4	72	KCN-07500-0100-072-2540	KCF-07500-0100-072-2540
75	1.1	25.4	56	KCN-07500-0110-056-2540	KCF-07500-0110-056-2540
75	1.2	25.4	56	KCN-07500-0120-056-2540	KCF-07500-0120-056-2540
75	1.3	25.4	56	KCN-07500-0130-056-2540	KCF-07500-0130-056-2540
75	1.4	25.4	56	KCN-07500-0140-056-2540	KCF-07500-0140-056-2540
75	1.5	25.4	56	KCN-07500-0150-056-2540	KCF-07500-0150-056-2540
75	1.6	25.4	56	KCN-07500-0160-056-2540	KCF-07500-0160-056-2540
75	1.7	25.4	56	KCN-07500-0170-056-2540	KCF-07500-0170-056-2540
75	1.8	25.4	56	KCN-07500-0180-056-2540	KCF-07500-0180-056-2540
75	1.9	25.4	56	KCN-07500-0190-056-2540	KCF-07500-0190-056-2540
75	2.0	25.4	56	KCN-07500-0200-056-2540	KCF-07500-0200-056-2540
75	2.5	25.4	56	KCN-07500-0250-056-2540	KCF-07500-0250-056-2540
75	3.0	25.4	56	KCN-07500-0300-056-2540	KCF-07500-0300-056-2540

※ 說明：70#28, 70 = 鋸片外徑；#28 = 鋸片厚度(日規番數)。

→ 切削條件表 P.567 Cutting Condition

→ 技術資料 P.639 Technical Data

SLITTING Carbide Slitting Saws 鎢鋼鋸片系列

# 高鈷鋼鋸片- 中齒數(56/72T)/細齒數(100T)

HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Middle Teeth(56/72T)/Fine Teeth(100T)



※KCH：鉤齒型鋸片→依需求生產！  
 ※KCH Type is dependent on demand.



外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
100	0.5	25.4	72	KCN-10000-0050-072-2540	KCF-10000-0050-072-2540
100	0.6	25.4	72	KCN-10000-0060-072-2540	KCF-10000-0060-072-2540
100	0.7	25.4	72	KCN-10000-0070-072-2540	KCF-10000-0070-072-2540
100	0.8	25.4	72	KCN-10000-0080-072-2540	KCF-10000-0080-072-2540
100	0.9	25.4	72	KCN-10000-0090-072-2540	KCF-10000-0090-072-2540
100	1.0	25.4	72	KCN-10000-0100-072-2540	KCF-10000-0100-072-2540
100	1.1	25.4	56	KCN-10000-0110-056-2540	KCF-10000-0110-056-2540
100	1.2	25.4	56	KCN-10000-0120-056-2540	KCF-10000-0120-056-2540
100	1.3	25.4	56	KCN-10000-0130-056-2540	KCF-10000-0130-056-2540
100	1.4	25.4	56	KCN-10000-0140-056-2540	KCF-10000-0140-056-2540
100	1.5	25.4	56	KCN-10000-0150-056-2540	KCF-10000-0150-056-2540
100	1.6	25.4	56	KCN-10000-0160-056-2540	KCF-10000-0160-056-2540
100	1.7	25.4	56	KCN-10000-0170-056-2540	KCF-10000-0170-056-2540
100	1.8	25.4	56	KCN-10000-0180-056-2540	KCF-10000-0180-056-2540
100	1.9	25.4	56	KCN-10000-0190-056-2540	KCF-10000-0190-056-2540
100	2.0	25.4	56	KCN-10000-0200-056-2540	KCF-10000-0200-056-2540
100	2.5	25.4	56	KCN-10000-0250-056-2540	KCF-10000-0250-056-2540
100	3.0	25.4	56	KCN-10000-0300-056-2540	KCF-10000-0300-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
125	0.8	25.4	100	KCN-12500-0080-100-2540	KCF-12500-0080-100-2540
125	1.0	25.4	100	KCN-12500-0100-100-2540	KCF-12500-0100-100-2540
125	1.2	25.4	72	KCN-12500-0120-072-2540	KCF-12500-0120-072-2540
125	1.5	25.4	72	KCN-12500-0150-072-2540	KCF-12500-0150-072-2540
125	2.0	25.4	72	KCN-12500-0200-072-2540	KCF-12500-0200-072-2540
125	2.5	25.4	72	KCN-12500-0250-072-2540	KCF-12500-0250-072-2540
125	3.0	25.4	72	KCN-12500-0300-072-2540	KCF-12500-0300-072-2540
外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
150	1.0	25.4	100	KCN-15000-0100-100-2540	KCF-15000-0100-100-2540
150	1.2	25.4	100	KCN-15000-0120-100-2540	KCF-15000-0120-100-2540
150	1.6	25.4	100	KCN-15000-0160-100-2540	KCF-15000-0160-100-2540
150	2.0	25.4	100	KCN-15000-0200-100-2540	KCF-15000-0200-100-2540
150	2.5	25.4	100	KCN-15000-0250-100-2540	KCF-15000-0250-100-2540
150	3.0	25.4	100	KCN-15000-0300-100-2540	KCF-15000-0300-100-2540
150	4.0	25.4	100	KCN-15000-0400-100-2540	KCF-15000-0400-100-2540
150	5.0	25.4	100	KCN-15000-0500-100-2540	KCF-15000-0500-100-2540

SLITTING Carbide Slitting Saws

鎢鋼鋸片系列

