

AS 568 A NO	I.D (mm)		W.(mm)	
-001	0.74	±0.10	1.02	±0.08
-002	1.07	±0.10	1.27	±0.08
-003	1.42	±0.10	1.52	±0.08
-004	1.78	±0.13	1.78	±0.08
-005	2.57	±0.13	1.78	±0.08
-006	2.90	±0.13	1.78	±0.08
-007	3.68	±0.13	1.78	±0.08
-008	4.47	±0.13	1.78	±0.08
-009	5.28	±0.13	1.78	±0.08
-010	6.07	±0.13	1.78	±0.08
-011	7.65	±0.13	1.78	±0.08
-012	9.25	±0.13	1.78	±0.08
-013	10.82	±0.13	1.78	±0.08
-014	12.42	±0.13	1.78	±0.08
-015	14.00	±0.18	1.78	±0.08
-016	15.60	±0.23	1.78	±0.08
-017	17.17	±0.23	1.78	±0.08
-018	18.77	±0.23	1.78	±0.08
-019	20.35	±0.23	1.78	±0.08
-020	21.95	±0.23	1.78	±0.08
-021	23.52	±0.23	1.78	±0.08
-022	25.12	±0.25	1.78	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-023	26.70	±0.25	1.78	±0.08
-024	28.30	±0.25	1.78	±0.08
-025	29.87	±0.28	1.78	±0.08
-026	31.47	±0.28	1.78	±0.08
-027	33.05	±0.28	1.78	±0.08
-028	34.65	±0.33	1.78	±0.08
-029	37.82	±0.33	1.78	±0.08
-030	41.00	±0.33	1.78	±0.08
-031	44.17	±0.38	1.78	±0.08
-032	47.35	±0.38	1.78	±0.08
-033	50.52	±0.46	1.78	±0.08
-034	53.70	±0.46	1.78	±0.08
-035	56.87	±0.46	1.78	±0.08
-036	60.05	±0.46	1.78	±0.08
-037	63.22	±0.46	1.78	±0.08
-038	66.40	±0.51	1.78	±0.08
-039	69.57	±0.51	1.78	±0.08
-040	72.75	±0.51	1.78	±0.08
-041	75.92	±0.61	1.78	±0.08
-042	82.27	±0.61	1.78	±0.08
-043	88.62	±0.61	1.78	±0.08
-044	94.97	±0.69	1.78	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-045	101.32	±0.69	1.78	±0.08
-046	107.67	±0.76	1.78	±0.08
-047	114.02	±0.76	1.78	±0.08
-048	120.37	±0.76	1.78	±0.08
-049	126.72	±0.94	1.78	±0.08
-050	133.07	±0.94	1.78	±0.08



AS 568 A NO	I.D (mm)		W.(mm)	
-102	1.24	±0.13	2.62	±0.08
-103	2.06	±0.13	2.62	±0.08
-104	2.84	±0.13	2.62	±0.08
-105	3.63	±0.13	2.62	±0.08
-106	4.42	±0.13	2.62	±0.08
-107	5.23	±0.13	2.62	±0.08
-108	6.02	±0.13	2.62	±0.08
-109	7.59	±0.13	2.62	±0.08
-110	9.19	±0.13	2.62	±0.08
-111	10.77	±0.13	2.62	±0.08
-112	12.37	±0.13	2.62	±0.08
-113	13.94	±0.18	2.62	±0.08
-114	15.54	±0.23	2.62	±0.08
-115	17.12	±0.23	2.62	±0.08
-116	18.72	±0.23	2.62	±0.08
-117	20.30	±0.25	2.62	±0.08
-118	21.89	±0.25	2.62	±0.08
-119	23.47	±0.25	2.62	±0.08
-120	25.07	±0.25	2.62	±0.08
-121	26.64	±0.25	2.62	±0.08
-122	28.24	±0.25	2.62	±0.08
-123	29.82	±0.30	2.62	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-124	31.42	±0.30	2.62	±0.08
-125	32.99	±0.30	2.62	±0.08
-126	34.59	±0.30	2.62	±0.08
-127	36.17	±0.30	2.62	±0.08
-128	37.77	±0.30	2.62	±0.08
-129	39.34	±0.38	2.62	±0.08
-130	40.94	±0.38	2.62	±0.08
-131	42.52	±0.38	2.62	±0.08
-132	44.12	±0.38	2.62	±0.08
-133	45.69	±0.38	2.62	±0.08
-134	47.30	±0.38	2.62	±0.08
-135	48.90	±0.43	2.62	±0.08
-136	50.47	±0.43	2.62	±0.08
-137	52.07	±0.43	2.62	±0.08
-138	53.64	±0.43	2.62	±0.08
-139	55.25	±0.43	2.62	±0.08
-140	56.82	±0.43	2.62	±0.08
-141	58.42	±0.51	2.62	±0.08
-142	59.99	±0.51	2.62	±0.08
-143	61.60	±0.51	2.62	±0.08
-144	63.17	±0.51	2.62	±0.08
-145	64.77	±0.51	2.62	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-146	66.34	±0.51	2.62	±0.08
-147	67.95	±0.56	2.62	±0.08
-148	69.52	±0.56	2.62	±0.08
-149	71.12	±0.56	2.62	±0.08
-150	72.69	±0.56	2.62	±0.08
-151	75.87	±0.61	2.62	±0.08
-152	82.22	±0.61	2.62	±0.08
-153	88.57	±0.61	2.62	±0.08
-154	94.92	±0.71	2.62	±0.08
-155	101.27	±0.71	2.62	±0.08
-156	107.62	±0.76	2.62	±0.08
-157	113.97	±0.76	2.62	±0.08
-158	120.32	±0.76	2.62	±0.08
-159	126.67	±0.89	2.62	±0.08
-160	133.02	±0.89	2.62	±0.08
-161	139.37	±0.89	2.62	±0.08
-162	145.72	±0.89	2.62	±0.08
-163	152.07	±0.89	2.62	±0.08
-164	158.42	±1.02	2.62	±0.08
-165	164.77	±1.02	2.62	±0.08
-166	171.12	±1.02	2.62	±0.08
-167	177.47	±1.02	2.62	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-168	183.82	±1.14	2.62	±0.08
-169	190.17	±1.14	2.62	±0.08
-170	196.52	±1.14	2.62	±0.08
-171	202.87	±1.14	2.62	±0.08
-172	209.22	±1.27	2.62	±0.08
-173	215.57	±1.27	2.62	±0.08
-174	221.92	±1.27	2.62	±0.08
-175	228.27	±1.27	2.62	±0.08
-176	234.62	±1.40	2.62	±0.08
-177	240.97	±1.40	2.62	±0.08
-178	247.32	±1.40	2.62	±0.08

AS 568 A NO	I.D (mm)		W.(mm)	
-202	5.94	±0.13	3.53	±0.10
-203	7.52	±0.13	3.53	±0.10
-204	9.12	±0.13	3.53	±0.10
-205	10.69	±0.13	3.53	±0.10
-206	12.29	±0.13	3.53	±0.10
-207	13.87	±0.17	3.53	±0.10
-208	15.47	±0.23	3.53	±0.10
-209	17.04	±0.23	3.53	±0.10
-210	18.64	±0.25	3.53	±0.10
-211	20.22	±0.25	3.53	±0.10
-212	21.82	±0.25	3.53	±0.10
-213	23.39	±0.25	3.53	±0.10
-214	25.00	±0.25	3.53	±0.10
-215	26.57	±0.25	3.53	±0.10
-216	28.17	±0.30	3.53	±0.10
-217	29.74	±0.30	3.53	±0.10
-218	31.34	±0.30	3.53	±0.10
-219	32.92	±0.30	3.53	±0.10
-220	34.52	±0.30	3.53	±0.10
-221	36.09	±0.30	3.53	±0.10
-222	37.69	±0.38	3.53	±0.10
-223	40.87	±0.38	3.53	±0.10

AS 568 A NO	I.D (mm)		W.(mm)	
-224	44.04	±0.38	3.53	±0.10
-225	47.22	±0.46	3.53	±0.10
-226	50.39	±0.46	3.53	±0.10
-227	53.57	±0.46	3.53	±0.10
-228	56.74	±0.50	3.53	±0.10
-229	59.92	±0.50	3.53	±0.10
-230	63.09	±0.50	3.53	±0.10
-231	66.27	±0.50	3.53	±0.10
-232	69.44	±0.61	3.53	±0.10
-233	72.62	±0.61	3.53	±0.10
-234	75.79	±0.61	3.53	±0.10
-235	78.97	±0.61	3.53	±0.10
-236	82.14	±0.61	3.53	±0.10
-237	85.32	±0.61	3.53	±0.10
-238	88.49	±0.61	3.53	±0.10
-239	91.67	±0.71	3.53	±0.10
-240	94.84	±0.71	3.53	±0.10
-241	98.02	±0.71	3.53	±0.10
-242	101.19	±0.71	3.53	±0.10
-243	104.37	±0.71	3.53	±0.10
-244	107.54	±0.76	3.53	±0.10
-245	110.72	±0.76	3.53	±0.10

AS 568 A NO	I.D (mm)		W.(mm)	
-246	113.89	±0.76	3.53	±0.10
-247	117.07	±0.76	3.53	±0.10
-248	120.24	±0.76	3.53	±0.10
-249	123.42	±0.89	3.53	±0.10
-250	126.59	±0.89	3.53	±0.10
-251	129.77	±0.89	3.53	±0.10
-252	132.94	±0.89	3.53	±0.10
-253	136.12	±0.89	3.53	±0.10
-254	139.29	±0.89	3.53	±0.10
-255	142.47	±0.89	3.53	±0.10
-256	145.65	±0.89	3.53	±0.10
-257	148.82	±0.89	3.53	±0.10
-258	151.99	±0.89	3.53	±0.10
-259	158.34	±1.02	3.53	±0.10
-260	164.69	±1.02	3.53	±0.10
-261	171.04	±1.02	3.53	±0.10
-262	177.39	±1.02	3.53	±0.10
-263	183.74	±1.14	3.53	±0.10
-264	190.09	±1.14	3.53	±0.10
-265	196.44	±1.14	3.53	±0.10
-266	202.79	±1.14	3.53	±0.10
-267	209.14	±1.27	3.53	±0.10

AS 568 A NO	I.D (mm)		W.(mm)	
-268	215.49	±1.27	3.53	±0.10
-269	221.84	±1.27	3.53	±0.10
-270	228.19	±1.27	3.53	±0.10
-271	234.54	±1.40	3.53	±0.10
-272	240.89	±1.40	3.53	±0.10
-273	247.24	±1.40	3.53	±0.10
-274	253.59	±1.40	3.53	±0.10
-275	266.29	±1.40	3.53	±0.10
-276	278.99	±1.65	3.53	±0.10
-277	291.69	±1.65	3.53	±0.10
-278	304.39	±1.65	3.53	±0.10
-279	329.79	±1.65	3.53	±0.10
-280	355.19	±1.65	3.53	±0.10
-281	380.59	±1.65	3.53	±0.10
-282	405.26	±1.91	3.53	±0.10
-283	430.66	±2.03	3.53	±0.10
-284	456.06	±2.16	3.53	±0.10

AS 568 A NO	I.D (mm)		W.(mm)	
-309	10.46	±0.13	5.33	±0.13
-310	12.07	±0.13	5.33	±0.13
-311	13.64	±0.18	5.33	±0.13
-312	15.24	±0.23	5.33	±0.13
-313	16.81	±0.23	5.33	±0.13
-314	18.42	±0.25	5.33	±0.13
-315	19.99	±0.25	5.33	±0.13
-316	21.59	±0.25	5.33	±0.13
-317	23.16	±0.25	5.33	±0.13
-318	24.77	±0.25	5.33	±0.13
-319	26.34	±0.25	5.33	±0.13
-320	27.94	±0.30	5.33	±0.13
-321	29.51	±0.30	5.33	±0.13
-322	31.12	±0.30	5.33	±0.13
-323	32.69	±0.30	5.33	±0.13
-324	34.29	±0.30	5.33	±0.13
-325	37.47	±0.38	5.33	±0.13
-326	40.64	±0.38	5.33	±0.13
-327	43.82	±0.38	5.33	±0.13
-328	46.99	±0.38	5.33	±0.13
-329	50.17	±0.46	5.33	±0.13
-330	53.34	±0.46	5.33	±0.13

AS 568 A NO	I.D (mm)		W.(mm)	
-331	56.52	±0.46	5.33	±0.13
-332	59.69	±0.46	5.33	±0.13
-333	62.87	±0.51	5.33	±0.13
-334	66.04	±0.51	5.33	±0.13
-335	69.22	±0.51	5.33	±0.13
-336	72.39	±0.51	5.33	±0.13
-337	75.57	±0.61	5.33	±0.13
-338	78.74	±0.61	5.33	±0.13
-339	81.92	±0.61	5.33	±0.13
-340	85.09	±0.61	5.33	±0.13
-341	88.27	±0.61	5.33	±0.13
-342	91.44	±0.71	5.33	±0.13
-343	94.62	±0.71	5.33	±0.13
-344	97.79	±0.71	5.33	±0.13
-345	100.97	±0.71	5.33	±0.13
-346	104.14	±0.71	5.33	±0.13
-347	107.32	±0.76	5.33	±0.13
-348	110.49	±0.76	5.33	±0.13
-349	113.67	±0.76	5.33	±0.13
-350	116.84	±0.76	5.33	±0.13
-351	120.02	±0.76	5.33	±0.13
-352	123.19	±0.76	5.33	±0.13

AS 568 A NO	I.D (mm)		W.(mm)	
-353	126.37	±0.94	5.33	±0.13
-354	129.54	±0.94	5.33	±0.13
-355	132.72	±0.94	5.33	±0.13
-356	135.89	±0.94	5.33	±0.13
-357	139.07	±0.94	5.33	±0.13
-358	142.24	±0.94	5.33	±0.13
-359	145.42	±0.94	5.33	±0.13
-360	148.59	±0.94	5.33	±0.13
-361	151.77	±0.94	5.33	±0.13
-362	158.12	±1.02	5.33	±0.13
-363	164.47	±1.02	5.33	±0.13
-364	170.82	±1.02	5.33	±0.13
-365	177.17	±1.02	5.33	±0.13
-366	183.52	±1.14	5.33	±0.13
-367	189.87	±1.14	5.33	±0.13
-368	196.22	±1.14	5.33	±0.13
-369	202.57	±1.14	5.33	±0.13
-370	208.92	±1.27	5.33	±0.13
-371	215.27	±1.27	5.33	±0.13
-372	221.62	±1.27	5.33	±0.13
-373	227.97	±1.27	5.33	±0.13
-374	234.32	±1.40	5.33	±0.13
-375	240.67	±1.40	5.33	±0.13

AS 568 A NO	I.D (mm)		W.(mm)	
-376	247.02	±1.40	5.33	±0.13
-377	253.37	±1.40	5.33	±0.13
-378	266.07	±1.52	5.33	±0.13
-379	278.77	±1.53	5.33	±0.13
-380	291.47	±1.65	5.33	±0.13
-381	304.17	±1.65	5.33	±0.13
-382	329.57	±1.65	5.33	±0.13
-383	354.97	±1.78	5.33	±0.13
-384	380.37	±1.78	5.33	±0.13
-385	405.26	±1.91	5.33	±0.13
-386	430.66	±2.03	5.33	±0.13
-387	456.06	±2.16	5.33	±0.13
-388	481.41	±2.29	5.33	±0.13
-389	506.81	±2.41	5.33	±0.13
-390	532.21	±2.41	5.33	±0.13
-391	557.61	±2.54	5.33	±0.13
-392	582.68	±2.67	5.33	±0.13
-393	608.08	±2.79	5.33	±0.13
-394	633.48	±2.92	5.33	±0.13
-395	658.88	±3.05	5.33	±0.13

AS 568 A NO	I.D (mm)		W.(mm)	
-425	113.67	±0.84	6.99	±0.15
-426	116.84	±0.84	6.99	±0.15
-427	120.02	±0.84	6.99	±0.15
-428	123.19	±0.84	6.99	±0.15
-429	126.37	±0.94	6.99	±0.15
-430	129.54	±0.94	6.99	±0.15
-431	132.72	±0.94	6.99	±0.15
-432	135.89	±0.94	6.99	±0.15
-433	139.07	±0.94	6.99	±0.15
-434	142.24	±0.94	6.99	±0.15
-435	145.42	±0.94	6.99	±0.15
-436	148.59	±0.94	6.99	±0.15
-437	151.77	±0.94	6.99	±0.15
-438	158.12	±0.94	6.99	±0.15
-439	164.47	±1.02	6.99	±0.15
-440	170.82	±1.02	6.99	±0.15
-441	177.17	±1.02	6.99	±0.15
-442	183.52	±1.14	6.99	±0.15
-443	189.87	±1.14	6.99	±0.15
-444	196.22	±1.14	6.99	±0.15
-445	202.57	±1.14	6.99	±0.15
-446	215.27	±1.40	6.99	±0.15

AS 568 A NO	I.D (mm)		W.(mm)	
-447	227.97	±1.40	6.99	±0.15
-448	240.67	±1.40	6.99	±0.15
-449	253.37	±1.40	6.99	±0.15
-450	266.07	±1.52	6.99	±0.15
-451	278.77	±1.52	6.99	±0.15
-452	291.47	±1.52	6.99	±0.15
-453	304.17	±1.52	6.99	±0.15
-454	316.87	±1.52	6.99	±0.15
-455	329.57	±1.52	6.99	±0.15
-456	342.27	±1.78	6.99	±0.15
-457	354.97	±1.78	6.99	±0.15
-458	367.67	±1.78	6.99	±0.15
-459	380.37	±1.78	6.99	±0.15
-460	393.07	±1.78	6.99	±0.15
-461	405.26	±1.91	6.99	±0.15
-462	417.96	±1.91	6.99	±0.15
-463	430.66	±2.03	6.99	±0.15
-464	443.36	±2.16	6.99	±0.15
-465	456.06	±2.16	6.99	±0.15
-466	468.76	±2.16	6.99	±0.15
-467	481.46	±2.29	6.99	±0.15
-468	494.16	±2.29	6.99	±0.15

AS 568 A NO	I.D (mm)		W.(mm)	
-469	506.86	±2.41	6.99	±0.15
-470	532.26	±2.41	6.99	±0.15
-471	557.66	±2.54	6.99	±0.15
-472	582.68	±2.67	6.99	±0.15
-473	608.08	±2.79	6.99	±0.15
-474	633.48	±2.92	6.99	±0.15
-475	658.88	±3.05	6.99	±0.15

AS 568 A NO	I.D (mm)		W.(mm)	
-901	4.70	±0.13	1.42	±0.08
-902	6.07	±0.13	1.63	±0.08
-903	7.65	±0.13	1.63	±0.08
-904	8.92	±0.13	1.83	±0.08
-905	10.52	±0.13	1.83	±0.08
-906	11.89	±0.13	1.98	±0.08
-907	13.46	±0.18	2.08	±0.08
-908	16.36	±0.23	2.21	±0.08
-909	17.93	±0.23	2.46	±0.08
-910	19.18	±0.23	2.46	±0.08
-911	21.92	±0.23	2.95	±0.10
-912	23.47	±0.23	2.95	±0.10
-913	25.04	±0.26	2.95	±0.10
-914	26.59	±0.26	2.95	±0.10
-916	29.74	±0.26	2.95	±0.10
-918	34.42	±0.30	2.95	±0.10
-920	37.47	±0.36	3.00	±0.10
-924	43.69	±0.36	3.00	±0.10
-928	53.09	±0.46	3.00	±0.10
-932	59.36	±0.46	3.00	±0.10