

冷卻散熱器  
**Cooler**



提供您最為合適的選擇  
**PROVIDE THE BEST CHOICE FOR YOU**



### 產品介紹

省成本	省電、免冷媒、免水塔、免壓縮機、維修保養，簡易方便
標準化	品質穩定、使用保養簡易、縮短交期、迅速出貨
客製化	替您量身打造心目中的理想樣式
全檢試車	提高品質穩定性，在使用上更加放心
鋁基複合材	耐高壓、降溫快、輕巧、堅固、安全
板金雷射切割	設計精準、美觀
板金酸洗烤漆	可延長使用年限

### Product Introduction

Cost Saving	Energy saving, No refrigerant, compressor, water tower, and the maintenance is simple and convenient
Aluminum	Can withstand high pressure, cooling rate is fast, light weight, strong and safe.
Standardization	Quality Stability, Easy to use and Maintenance, Shorten delivery period, rapid shipment
Customization	For you to create the ideal style of mind
Sheet metal pickling paint	Can prolong the service life
Sheet metal laser cutting	More beautiful and more accurate
Full test run	To improve quality stability, in the use of more assured

規格表 Specifications

規格 Specifications	冷卻能力 kcal/h Cooling Capacity	規格 Specifications	尺寸 mm±2 Size L*W*H	規格 Specifications	工作壓力 kg Working pressure
DRC-10-03-12-S1	1500	DRC-10-03-12-S1	255*115*210	DRC-10-03-12-S1	10
DRC-10-03-12-S2		DRC-10-03-12-S2	255*115*210	DRC-10-03-12-S2	
DRC-10-03-12-S3	1600	DRC-10-03-12-S3		297*130*211	
DRC-10-03-12-S4		DRC-10-03-12-S4	DRC-10-03-12-S4		
DRC-20-03-18-S4	2200	DRC-20-03-18-S4	297*140*298	DRC-20-03-18-S4	
AOC-2003-S1	1400	AOC-2003-S1	253*115*205	AOC-1417-S1	
AOC-2003-S2		AOC-2003-S2	253*106*205	AOC-1470-S1	
AOC-2010-S4	2000	AOC-2010-S4	225*175*240	AOC-2003-S1	
AOC-2008-S1	2500	AOC-2008-S1	273*125*205	AOC-2003-S2	
AOC-2008-S2		AOC-2008-S2	273*117*205	AOC-2006-S4	
AOC-2006-S4	3000	AOC-2006-S4	410*114*120	AOC-2008-S1	
AOC-2015-S1	4000	AOC-2015-S1	350*265*300	AOC-2008-S2	
AOC-2015-2-S1		AOC-2015-2-S1		AOC-2010-S4	
AOC-2015-S4	4500	AOC-2015-S4	355*190*300	AOC-2015-S1	
AOC-2020-S1	5500	AOC-2020-S1	350*282*300	AOC-2015-2-S1	
AOC-2020-2-S1		AOC-2020-2-S1		AOC-2015-S4	
AOC-2020-S4	6000	AOC-2020-S4	355*190*298	AOC-2020-S1	
AOC-JAP300E-S4	7000	AOC-2024-S1	370*282*361	AOC-2020-2-S1	
AOC-2024-S1	8000	AOC-2024-2-S1		AOC-2020-S4	
AOC-2024-2-S1		9000	AOC-2024-S4	417*195*360	AOC-2024-S1
AOC-2024-S4	AOC-1417-S1		AOC-1417-S1	570*196*405	AOC-2024-2-S1
AOC-1417-S1		AOC-1470-S1	570*210*405	AOC-2024-S4	
AOC-2030-S1	12000	AOC-2030-S1	441*265*423	AOC-2030-S1	
AOC-2030-2-S1		AOC-2030-2-S1		AOC-2030-2-S1	
AOC-1470-S1	13000	AOC-2030-S4	480*210*409	AOC-2030-S4	
AOC-2030-S4	15000	AOC-2030-2-S4		AOC-2030-2-S4	
AOC-2030-2-S4		AOC-2040-S1	AOC-2040-S1	540*300*530	AOC-2040-S1
AOC-2040-S1	18000		AOC-2040-2-S1	570*190*523	AOC-2040-2-S1
AOC-2040-2-S1		AOC-2040-S4	AOC-2040-S4		
AOC-2040-S4	20000	AOC-2040-2-S4	605*345*660	AOC-2040-2-S4	
AOC-2040-2-S4		AOC-2050-S1		AOC-2050-S1	
AOC-2050-S1	30000	AOC-2050-2-S1	1060*310*615	AOC-2050-2-S1	
AOC-2050-2-S1		AOC-2080-S1		AOC-2080-S1	
AOC-2080-S1	39000	AOC-JAP300E-S4	340*215*360	AOC-JAP300E-S4	

規格表 Specifications

規格 Specifications	流量 L/min Flow	規格 Specifications	出入口大小及螺紋 In & Out
DRC-10-03-12-S1	4	DRC-10-03-12-S1	03 PT
DRC-10-03-12-S2		DRC-10-03-12-S2	
DRC-10-03-12-S3		DRC-10-03-12-S3	
DRC-10-03-12-S4		DRC-10-03-12-S4	
DRC-20-03-18-S4	6	DRC-20-03-18-S4	
AOC-2003-S1	12	AOC-1417-S1	1"PT
AOC-2003-S2		AOC-1470-S1	1 1/4"PT
AOC-2006-S4	20	AOC-2003-S1	1/2" PT
AOC-2010-S4	30	AOC-2003-S2	
AOC-2008-S1	35	AOC-2006-S4	3/4" PT
AOC-2008-S2		AOC-2008-S1	
AOC-2015-2-S1	40	AOC-2008-S2	
AOC-2020-2-S1	50	AOC-2010-S4	G3/4"
AOC-2024-2-S1	65	AOC-2015-S1	G1"
AOC-2030-2-S1	70	AOC-2015-S4	
AOC-2030-2-S4		AOC-2015-2-S1	
AOC-2040-2-S1	75	AOC-2020-S1	
AOC-2040-2-S4		AOC-2020-S4	
AOC-2015-S1	80	AOC-2020-2-S1	
AOC-2015-S4		AOC-2024-S1	
AOC-2020-S1	100	AOC-2024-S4	
AOC-2020-S4		AOC-2024-2-S1	
AOC-2050-2-S1		AOC-2030-S1	
AOC-JAP300E-S4		AOC-2030-S4	
AOC-1417-S1	120	AOC-2030-2-S1	
AOC-2024-S1		AOC-2030-2-S4	
AOC-2024-S4		AOC-2040-S1	
AOC-2030-S1	140	AOC-2040-S4	
AOC-2030-S4		AOC-2040-2-S1	
AOC-2040-S1	150	AOC-2040-2-S4	
AOC-2040-S4		AOC-JAP300E-S4	
AOC-1470-S1	200	AOC-2050-S1	G1 1/4"
AOC-2050-S1		AOC-2050-2-S1	
AOC-2080-S1	350	AOC-2080-S1	1 1/2"PT



散熱風扇規格表 Specifications

JM	120	AP	22		標配		
	尺寸 Size	外殼 Housing	電壓 Voltage		速度 Speed	軸承 Bearing type	接電方式 Connect Type
系列號 Serial No.	120	鋁殼黑色 Aluminum Painted Black	11	AC 110	高速 High Speed	滾珠軸承 Ball Bearing	出線 Lead Wire
	172			AC 220			
	180		22	AC 220			
	205						
	254		Others	Others			
	Others						



**JANG MAW**